chanhvinh.com

Specifications

Eaton 215656



Catalog Number: 215656

Eaton Moeller series xPole - Busbar. EV busbars 1Ph., 13HP, for auxiliary contact unit

General specifications

Product Name	**Catalog Number**
Eaton Moeller series busbar	215656
EAN	**Product Length/Depth**
9010238140295	228 mm
Product Height	**Product Width**
21 mm	4 mm
Product Weight	**Compliances**
0.041 kg	RoHS conform

Powering Business Worldwide

chanhvinh.com

chanhvinh.com

Product specifications

Type

Busbar

EVG

Features

Insulated

Accessory/spare part type

Busbar for miniature circuit breaker

Busbar for combined residual current/power circuit breaker

Busbar for residual current circuit breakers

Electric connection type

Fork

Rated surge voltage

4 KV

Rated uninterrupted current (Iu)

63 A

Suitable for number of devices

18

Number of poles

Single-pole

Color

Other

Rated short-time withstand current (Icw)

0 kA

Cross section

10 mm²

Number of modular spacings

9

Number of phases

1

Pitch dimensions

0 mm

Rated operational voltage (Ue) - max

500 V

Rated conditional short-circuit current (Iq)

25 kA

Resources

Declarations of conformity

DA-DC-03_EVG

Drawings

eaton-busbar-3d-drawing.jpg

eaton-mcb-busbar-3d-drawing-009.eps

chanhvinh.com

Functions

Busbar

Suitable for

Devices with auxiliary switch

Devices with N-busbar

9 devices

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia