chanhvinh.com

Specifications

Eaton EBF00330V0

Catalog Number: EBF00330V0

Eaton Bussmann series low voltage NH fuse base, Fuse rail, low voltage, 160 A, AC 690 V, NH00, 3P, IEC, 185 mm busbar, V Terminals without V-Clamps



General specifications

Product Name	**Catalog Number**
Eaton Bussmann series low voltage NH fuse base	EBF00330V0
	EAN
	5027590409476
Product Length/Depth	**Product Height**
135 mm	715 mm
Product Width	**Product Weight**
55 mm	1634 g
Compliances	**Certifications**
CE	IEC 60269-1 IEC 60269-2

Powering Business Worldwide

chanhvinh.com

Product specifications

Type
Fuse accessory

Application
Transformer substations, distribution boards, feeder pillars, cable distribution cabinets

Amperage Rating
160 A

Rated permanent current (Iu)
160 A

Conditioned rated short-circuit current Iq
0.1 kA

Double interrupting
No

Number of poles
Three-pole

Construction size (fuse inserts)
NH00

Distance
Between rail center: 185 mm

Electrical connection type of main circuit
Other

Construction size
NH00

Fuse shape
Vertical

Release indication
None

Suitable for
NH00

Suitable for fuses
NH00

Mounting method
Busbar

Voltage rating
690

Resources

Brochures
eaton-bussmann-series-ebf-vertical-fuse-rail-datasheet-10240en-us.pdf

Catalogs
eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf

CA134002EN

Declarations of conformity
CE Vertical NH fuse rails for NH fuse-links sizes 00 to 3

UKCA Vertical NH fuse rails for NH fuse-links sizes 00 to 3

Technical data sheets
10275 EBV Vertical fuse switch-disconnector

Technical service bulletins
10293 EBH Horizontal switch-disconnector

chanhvinh.com

Electrical connection type

Other

Model

Fuse base

Rated operating voltage (Ue) at AC - max

690 V

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia