chanhvinh.com

Specifications

Eaton EBV333TW1



Catalog Number: EBV333TW1

Eaton Bussmann series low voltage NH fuse base, Switch disconnector, low voltage, 630 A, AC 690 V, NH3, AC21B, 3P, IEC, 185 mm busbar, simultaneous switching, 2-V Terminals with double V-clamps

General specifications

Product Name
Eaton Bussmann series low voltage NH fuse base

Catalog Number
EBV333TW1

EAN
5027590335393

Product Length/Depth
195 mm

Product Height
675 mm

Product Width
110 mm

Product Weight
6694 g

Compliances
CE

Certifications
IEC/EN 60947-1
IEC 60947-3

Powering Business Worldwide

chanhvinh.com

Product specifications

Type
Fuse accessory

Application
Transformer substations, industrial low voltage distribution boards, cable cabinets

Rated permanent current (Iu)
630 A

Conditioned rated short-circuit current Iq
0.08 kA

Double interrupting
No

Number of poles
Three-pole

Construction size (fuse inserts)
NH3

Distance
Between rail center: 185 mm

Electrical connection type of main circuit
Screw connection

Construction size
NH3

Fuse shape
Vertical

Release indication
None

Suitable for
NH3

Suitable for fuses
NH3

Mounting method
Busbar

Voltage rating
690

Electrical connection type
Screw connection

Resources

Catalogs
eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf

CA134002EN

Declarations of conformity
UKCA fuse switch disconnectors, EBC, EBV and EBH series

CE fuse switch disconnectors, EBC, EBV and EBH series

Technical data sheets
10275 EBV Vertical fuse switch-disconnector

Technical service bulletins
10293 EBH Horizontal switch-disconnector

chanhvinh.com

Model

Fuse switch disconnector

Rated operating voltage (Ue) at AC - max

690 V

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia