chanhvinh.com

Specifications

Eaton FNQ-30



Catalog Number: FNQ-30

Eaton Bussmann series FNQ fuse, Time-delay, Motor control transformers, Circuits with in-rush currents, 30 A, Non-indicating, Ferrule end x ferrule end, 10 kAIC at 500 Vac, Nickel-plated bronze endcap, Standard, 500 V

General specifications

Product Name	**Catalog Number**
Eaton Bussmann series FNQ fuse	FNQ-30
UPC	**EAN**
051712786768	5027590060530
Product Length/Depth	**Product Height**
0.41 in	1.5 in
Product Width	**Product Weight**
0.41 in	0.175 lb
Warranty	**Compliances**
Not Applicable	CE Marked RoHS Compliant

Powering Business Worldwide

chanhvinh.com

Electrical rating

Amperage Rating

30 A

Interrupt rating

10 kAIC at 500 Vac

Voltage rating

500 V

Physical details

Material

Nickel-plated bronze endcap

Packaging type

Standard

General information

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Special features

Non-indicating

Resources

Catalogs

FNQ-30~BUSS MIDGET FUSE

Bussmann series complete full line catalog no. 1007

Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - FNQ-30

Technical service bulletins

Datasheet - FNQ-30

chanhvinh.com

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia

chanhvinh.com
chanhvinh.com
chanhvinh.com
chanhvinh.com
chanhvinh.com
chanhvinh.com