chanhvinh.com

Specifications

# Eaton LP-CC-2-1/4

## Catalog Number: LP-CC-2-1/4

Eaton Bussmann Series Class CC fuse, LP-CC, time-delay, dual-element current limiting fuse, 2.25 A, rejection Style fuse, interrupting rating of 200 kA at 600 Vac and 20 kA at 300 Vdc

### General specifications

**Product Name**
Eaton Bussmann series LP-CC fuse

**Catalog Number**
LP-CC-2-1/4

**UPC**
051712180504

**EAN**
5027590447058

**Product Length/Depth**
0.41 in

**Product Height**
1.5 in

**Product Width**
0.41 in

**Product Weight**
0.15 lb

**Warranty**
Not Applicable

**Compliances**
CE Marked
RoHS Compliant

**Certifications**
UL Listed
CSA Certified

chanhvinh.com

## Product specifications

### Type
Current-limiting time-delay fuse

### Special features
Rejection style

### Application
Specialized circuits and industrial control

### Amperage Rating
2.25 A

### Number of elements
Dual

### Class
Class CC

### Interrupt rating
200 kAIC at 600 Vac
20 kAIC at 300 Vdc

### Fuse indicator
Non-indicating

### Connection
Ferrule end x ferrule end

### Response time
12 sec at 200%

### Material
Melamine tube

### Packaging type
Standard

### Quantity
10

### Voltage rating
600 Vac, 300 Vdc

## Resources

### Catalogs
Bussmann Full Line Catalog

Low Voltage Branch Circuit Fuse Chapter

### Multimedia
Bussmann series Fuseology

### Specifications and datasheets
LP-CC Spec Sheet

chanhvinh.com




Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia

chanhvinh.com
chanhvinh.com
chanhvinh.com
chanhvinh.com
chanhvinh.com
chanhvinh.com