chanhvinh.com

Specifications

Eaton TCF20RN



Catalog Number: TCF20RN

Eaton Bussmann Series Class CF fuse, TCF, time-delay, dual-element current limiting cube fuse, 20 A, non-idicating fuse, interrupting rating of 100 kA at 300 Vdc and 300 kA at 600 Vac

General specifications

Product Name	**Catalog Number**
Eaton Bussmann series TCF fuse	TCF20RN
UPC	**Product Length/Depth**
051712220941	1.88 in
Product Height	**Product Width**
1 in	0.75 in
Product Weight	**Warranty**
0.043 lb	Not Applicable
Compliances	**Certifications**
CE Marked RoHS Compliant	UL Listed CSA Certified

Powering Business Worldwide

chanhvinh.com

Electrical rating

Amperage Rating
20 A

Frequency rating - max
60 Hz

Frequency rating - min
50 Hz

Interrupt rating
300 kAIC at 600 Vac
100 kAIC at 300 Vdc

Response time
10 sec at 500%

Voltage rating
600 Vac, 300 Vdc

Physical details

Color
Black

Fuse type
Class CF
Time delay

Material
Glass filled PES

Number of elements
Dual

Packaging type
Standard

General information

Class
Class CF

Connection
Blade end

Fuse indicator
Non-indicating

Mounting method
Chassis
35 mm DIN rail

Special features
Finger safe

Used with
TCFH30N, CCP2-3-30CF

Resources

Catalogs
Bussmann Full Line Catalog

Low Voltage Branch Circuit Fuse Chapter

Compliance information
RoHS Search Tool

Multimedia

chanhvinh.com

Bussmann series Fuseology

The Power of Space

Technical data sheets

Bussmann series UL Class CF CUBEFuse data sheet no. 9000

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia