chanhvinh.com

Support Legs

EH 22593.



Product Description

The support legs are universally usable as adjustable legs.
The plate is screwed to the threaded pin and nut by a stainless steel fastening screw, and is also glued.

Material

Grub Screw
- Steel, zinc-plated by galvanization, passivated
- Stainless steel 1.4305

Nut
- Steel, zinc-plated by galvanization, passivated
- Stainless steel 1.4305

Lock nut
- Steel, zinc-coated by galvanisation, passivated, ISO 4032
- Stainless Steel A2, ISO 4032


Pad
- Steel, zinc-plated by galvanization, passivated
- Stainless steel 1.4301, vibratory ground

More information


Further products

- Support Legs, protected against slipping


Drawing



picture 1



picture 2



picture 3

Order information

d_1	d_2	Dimensions l_1 [mm]	h_1	h_2	l_2	WS_1 [mm]	WS_2 [mm]	WS_3 [mm]	[g]	Art. No.
with screw – picture 1, Steel										
40	**M 8**	**40**	2.0	–	11	17	–	13	45	22593.0005
40	**M 8**	**50**	2.0	–	11	17	–	13	48	22593.0010
40	**M 8**	**63**	2.0	–	11	17	–	13	48	22593.0015
40	**M10**	**50**	2.0	–	11	17	–	16	62	22593.0020
40	**M10**	**60**	2.0	–	11	17	–	16	106	22593.0025
40	**M10**	**80**	2.0	–	11	17	–	16	76	22593.0030
40	**M10**	**100**	2.0	–	11	17	–	16	87	22593.0035
40	**M12**	**60**	2.0	–	11	17	–	18	85	22593.0040
40	**M12**	**80**	2.0	–	11	17	–	18	98	22593.0045
40	**M12**	**100**	2.0	–	11	17	–	18	113	22593.0050

chanhvinh.com

Dimensions						WS_1	WS_2	WS_3		Art. No.
d_1	d_2	l_1	h_1	h_2	l_2					
[mm]						[mm]	[mm]	[mm]	[g]	
40	**M12**	**125**	2.0	–	11	17	–	18	132	22593.0055
50	**M 8**	**40**	2.5	–	11	17	–	13	62	22593.0060
50	**M 8**	**50**	2.5	–	11	17	–	13	68	22593.0065
50	**M 8**	**63**	2.5	–	11	17	–	13	70	22593.0070
50	**M10**	**50**	2.5	–	11	17	–	16	80	22593.0075
50	**M10**	**60**	2.5	–	11	17	–	16	86	22593.0080
50	**M10**	**80**	2.5	–	11	17	–	16	95	22593.0085
50	**M10**	**100**	2.5	–	11	17	–	16	106	22593.0090
50	**M12**	**60**	2.5	–	11	17	–	18	102	22593.0095
50	**M12**	**80**	2.5	–	11	17	–	18	117	22593.0100
50	**M12**	**100**	2.5	–	11	17	–	18	132	22593.0105
50	**M12**	**125**	2.5	–	11	17	–	18	150	22593.0110
60	**M 8**	**40**	2.5	–	11	17	–	13	81	22593.0115
60	**M 8**	**50**	2.5	–	11	17	–	13	83	22593.0120
60	**M 8**	**63**	2.5	–	11	17	–	13	87	22593.0125
60	**M10**	**50**	2.5	–	11	17	–	16	97	22593.0130
60	**M10**	**60**	2.5	–	11	17	–	16	103	22593.0135
60	**M10**	**80**	2.5	–	11	17	–	16	111	22593.0140
60	**M10**	**100**	2.5	–	11	17	–	16	122	22593.0145
60	**M12**	**60**	2.5	–	11	17	–	18	120	22593.0150
60	**M12**	**80**	2.5	–	11	17	–	18	134	22593.0155
60	**M12**	**100**	2.5	–	11	17	–	18	150	22593.0160
60	**M12**	**125**	2.5	–	11	17	–	18	167	22593.0165
80	**M 8**	**40**	3.0	–	12	17	–	13	144	22593.0170
80	**M 8**	**50**	3.0	–	12	17	–	13	148	22593.0175
80	**M 8**	**63**	3.0	–	12	17	–	13	152	22593.0180
80	**M10**	**50**	3.0	–	12	17	–	16	163	22593.0185
80	**M10**	**60**	3.0	–	12	17	–	16	167	22593.0190
80	**M10**	**80**	3.0	–	12	17	–	16	176	22593.0195
80	**M10**	**100**	3.0	–	12	17	–	16	187	22593.0200
80	**M12**	**60**	3.0	–	12	17	–	18	186	22593.0205
80	**M12**	**80**	3.0	–	12	17	–	18	199	22593.0210
80	**M12**	**100**	3.0	–	12	17	–	18	218	22593.0215
80	**M12**	**125**	3.0	–	12	17	–	18	231	22593.0220
with screw – picture 2, Steel										
40	**M16**	**75**	2.0	–	17	12	8	24	154	22593.0605
40	**M16**	**100**	2.0	–	17	12	8	24	183	22593.0610
40	**M16**	**125**	2.0	–	17	12	8	24	217	22593.0615
40	**M16**	**150**	2.0	–	17	12	8	24	252	22593.0620
40	**M16**	**200**	2.0	–	17	12	8	24	315	22593.0625
50	**M16**	**75**	2.5	–	17	12	8	24	172	22593.0630
50	**M16**	**100**	2.5	–	17	12	8	24	205	22593.0635
50	**M16**	**125**	2.5	–	17	12	8	24	236	22593.0640
50	**M16**	**150**	2.5	–	17	12	8	24	270	22593.0645
50	**M16**	**200**	2.5	–	17	12	8	24	335	22593.0650
60	**M16**	**75**	2.5	–	17	12	8	24	187	22593.0655
60	**M16**	**100**	2.5	–	17	12	8	24	221	22593.0660
60	**M16**	**125**	2.5	–	17	12	8	24	252	22593.0665
60	**M16**	**150**	2.5	–	17	12	8	24	288	22593.0670
60	**M16**	**200**	2.5	–	17	12	8	24	352	22593.0675
80	**M16**	**75**	3.0	–	18	12	8	24	251	22593.0680
80	**M16**	**100**	3.0	–	18	12	8	24	285	22593.0685
80	**M16**	**125**	3.0	–	18	12	8	24	317	22593.0690
80	**M16**	**150**	3.0	–	18	12	8	24	349	22593.0695
80	**M16**	**200**	3.0	–	18	12	8	24	414	22593.0700
80	**M20**	**75**	3.0	–	19	15	10	30	340	22593.0705
80	**M20**	**100**	3.0	–	19	15	10	30	393	22593.0710
80	**M20**	**125**	3.0	–	19	15	10	30	441	22593.0715
80	**M20**	**150**	3.0	–	19	15	10	30	494	22593.0720
80	**M20**	**200**	3.0	–	19	15	10	30	600	22593.0725

chanhvinh.com

Dimensions						WS_1	WS_2	WS_3		Art. No.
d_1	d_2	l_1	h_1	h_2	l_2					
[mm]						[mm]	[mm]	[mm]	[g]	
80	**M24**	**100**	3.0	–	22	19	12	36	537	22593.0730
80	**M24**	**125**	3.0	–	22	19	12	36	610	22593.0735
80	**M24**	**150**	3.0	–	22	19	12	36	681	22593.0740
80	**M24**	**200**	3.0	–	22	19	12	36	829	22593.0745
with female thread – picture 3, Steel										
40	**M 8**	**25**	2.0	8	–	14	–	–	41	22593.1005
40	**M10**	**28**	2.0	10	–	14	–	–	40	22593.1010
40	**M12**	**31**	2.0	12	–	17	–	–	57	22593.1015
40	**M16**	**37**	2.0	16	–	22	–	–	244	22593.1020
50	**M 8**	**25**	2.5	8	–	14	–	–	59	22593.1025
50	**M10**	**28**	2.5	10	–	14	–	–	58	22593.1030
50	**M12**	**32**	2.5	12	–	17	–	–	76	22593.1035
50	**M16**	**37**	2.5	16	–	22	–	–	112	22593.1040
60	**M 8**	**25**	2.5	8	–	14	–	–	76	22593.1045
60	**M10**	**28**	2.5	10	–	14	–	–	144	22593.1050
60	**M12**	**32**	2.5	12	–	17	–	–	92	22593.1055
60	**M16**	**37**	2.5	16	–	22	–	–	127	22593.1060
80	**M 8**	**26**	3.0	8	–	14	–	–	140	22593.1065
80	**M10**	**29**	3.0	10	–	14	–	–	80	22593.1070
80	**M12**	**32**	3.0	12	–	17	–	–	160	22593.1075
80	**M16**	**38**	3.0	16	–	22	–	–	195	22593.1080
80	**M20**	**45**	3.0	20	–	27	–	–	256	22593.1085
with screw – picture 1, Stainless steel										
40	**M 8**	**40**	2.0	–	11	17	–	13	49	22593.1505
40	**M 8**	**50**	2.0	–	11	17	–	13	50	22593.1510
40	**M 8**	**63**	2.0	–	11	17	–	13	55	22593.1515
40	**M10**	**50**	2.0	–	11	17	–	16	65	22593.1520
40	**M10**	**60**	2.0	–	11	17	–	16	69	22593.1525
40	**M10**	**80**	2.0	–	11	17	–	16	79	22593.1530
40	**M10**	**100**	2.0	–	11	17	–	16	90	22593.1535
40	**M12**	**60**	2.0	–	11	17	–	18	88	22593.1540
40	**M12**	**80**	2.0	–	11	17	–	18	102	22593.1545
40	**M12**	**100**	2.0	–	11	17	–	18	117	22593.1550
40	**M12**	**125**	2.0	–	11	17	–	18	134	22593.1555
50	**M 8**	**40**	2.5	–	11	17	–	13	68	22593.1560
50	**M 8**	**50**	2.5	–	11	17	–	13	69	22593.1565
50	**M 8**	**63**	2.5	–	11	17	–	13	75	22593.1570
50	**M10**	**50**	2.5	–	11	17	–	16	84	22593.1575
50	**M10**	**60**	2.5	–	11	17	–	16	89	22593.1580
50	**M10**	**80**	2.5	–	11	17	–	16	100	22593.1585
50	**M10**	**100**	2.5	–	11	17	–	16	108	22593.1590
50	**M12**	**60**	2.5	–	11	17	–	18	106	22593.1595
50	**M12**	**80**	2.5	–	11	17	–	18	122	22593.1600
50	**M12**	**100**	2.5	–	11	17	–	18	136	22593.1605
50	**M12**	**125**	2.5	–	11	17	–	18	154	22593.1610
60	**M 8**	**40**	2.5	–	11	17	–	13	84	22593.1615
60	**M 8**	**50**	2.5	–	11	17	–	13	87	22593.1620
60	**M 8**	**63**	2.5	–	11	17	–	13	91	22593.1625
60	**M10**	**50**	2.5	–	11	17	–	16	101	22593.1630
60	**M10**	**60**	2.5	–	11	17	–	16	106	22593.1635
60	**M10**	**80**	2.5	–	11	17	–	16	115	22593.1640
60	**M10**	**100**	2.5	–	11	17	–	16	126	22593.1645
60	**M12**	**60**	2.5	–	11	17	–	18	123	22593.1650
60	**M12**	**80**	2.5	–	11	17	–	18	138	22593.1655
60	**M12**	**100**	2.5	–	11	17	–	18	153	22593.1660
60	**M12**	**125**	2.5	–	11	17	–	18	171	22593.1665
80	**M 8**	**40**	3.0	–	12	17	–	13	149	22593.1670
80	**M 8**	**50**	3.0	–	12	17	–	13	152	22593.1675
80	**M 8**	**63**	3.0	–	12	17	–	13	156	22593.1680
80	**M10**	**50**	3.0	–	12	17	–	16	166	22593.1685
80	**M10**	**60**	3.0	–	12	17	–	16	172	22593.1690
80	**M10**	**80**	3.0	–	12	17	–	16	181	22593.1695

chanhvinh.com

Dimensions						WS_1	WS_2	WS_3		Art. No.
d_1	d_2	l_1	h_1	h_2	l_2					
[mm]						[mm]	[mm]	[mm]	[g]	
80	**M10**	**100**	3.0	–	12	17	–	16	188	22593.1700
80	**M12**	**60**	3.0	–	12	17	–	18	187	22593.1705
80	**M12**	**80**	3.0	–	12	17	–	18	204	22593.1710
80	**M12**	**100**	3.0	–	12	17	–	18	214	22593.1715
80	**M12**	**125**	3.0	–	12	17	–	18	233	22593.1720
with screw – picture 2, Stainless steel										
40	**M16**	**75**	2.0	–	17	12	8	24	149	22593.2105
40	**M16**	**100**	2.0	–	17	12	8	24	187	22593.2110
40	**M16**	**125**	2.0	–	17	12	8	24	221	22593.2115
40	**M16**	**150**	2.0	–	17	12	8	24	255	22593.2120
40	**M16**	**200**	2.0	–	17	12	8	24	273	22593.2125
50	**M16**	**75**	2.5	–	17	12	8	24	174	22593.2130
50	**M16**	**100**	2.5	–	17	12	8	24	205	22593.2135
50	**M16**	**125**	2.5	–	17	12	8	24	239	22593.2140
50	**M16**	**150**	2.5	–	17	12	8	24	273	22593.2145
50	**M16**	**200**	2.5	–	17	12	8	24	342	22593.2150
60	**M16**	**75**	2.5	–	17	12	8	24	189	22593.2155
60	**M16**	**100**	2.5	–	17	12	8	24	227	22593.2160
60	**M16**	**125**	2.5	–	17	12	8	24	252	22593.2165
60	**M16**	**150**	2.5	–	17	12	8	24	285	22593.2170
60	**M16**	**200**	2.5	–	17	12	8	24	354	22593.2175
80	**M16**	**75**	3.0	–	18	12	8	24	248	22593.2180
80	**M16**	**100**	3.0	–	18	12	8	24	280	22593.2185
80	**M16**	**125**	3.0	–	18	12	8	24	312	22593.2190
80	**M16**	**150**	3.0	–	18	12	8	24	349	22593.2195
80	**M16**	**200**	3.0	–	18	12	8	24	419	22593.2200
80	**M20**	**75**	3.0	–	19	15	10	30	335	22593.2205
80	**M20**	**100**	3.0	–	19	15	10	30	387	22593.2210
80	**M20**	**125**	3.0	–	19	15	10	30	439	22593.2215
80	**M20**	**150**	3.0	–	19	15	10	30	495	22593.2220
80	**M20**	**200**	3.0	–	19	15	10	30	597	22593.2225
80	**M24**	**100**	3.0	–	22	19	12	36	526	22593.2230
80	**M24**	**125**	3.0	–	22	19	12	36	604	22593.2235
80	**M24**	**150**	3.0	–	22	19	12	36	672	22593.2240
80	**M24**	**200**	3.0	–	22	19	12	36	835	22593.2245
with female thread – picture 3, Stainless steel										
40	**M 8**	**25**	2.0	8	–	14	–	–	38	22593.2505
40	**M10**	**28**	2.0	10	–	14	–	–	44	22593.2510
40	**M12**	**31**	2.0	12	–	17	–	–	55	22593.2515
40	**M16**	**37**	2.0	16	–	22	–	–	95	22593.2520
50	**M 8**	**25**	2.5	8	–	14	–	–	62	22593.2525
50	**M10**	**28**	2.5	10	–	14	–	–	62	22593.2530
50	**M12**	**32**	2.5	12	–	17	–	–	77	22593.2535
50	**M16**	**37**	2.5	16	–	22	–	–	113	22593.2540
60	**M 8**	**25**	2.5	8	–	14	–	–	80	22593.2545
60	**M10**	**28**	2.5	10	–	14	–	–	80	22593.2550
60	**M12**	**32**	2.5	12	–	17	–	–	96	22593.2555
60	**M16**	**37**	2.5	16	–	22	–	–	130	22593.2560
80	**M 8**	**26**	3.0	8	–	14	–	–	141	22593.2565
80	**M10**	**29**	3.0	10	–	14	–	–	140	22593.2570
80	**M12**	**32**	3.0	12	–	17	–	–	154	22593.2575
80	**M16**	**38**	3.0	16	–	22	–	–	192	22593.2580
80	**M20**	**45**	3.0	20	–	27	–	–	250	22593.2585

Compliance

For detailed compliance information please select the desired article number.