chanhvinh.com

Warning Streamers • according to NAS1756

EH 4217.



Product Description

Warning flags are used in aircrafts, i. a. in connection with ball lock pins.
Depending on the version, these red warning streamers are available with the white "Remove Before Flight" lettering on one side or without lettering.

Material

Flag
- Polyamide fabric with PVC coating, crimson RAL 3002

Eyelet
- Brass

More information

Notes

Further information on request.


Further products

- Ball Lock Pins with Button Handle, single acting - comply with NAS / MS17984
- Ball Lock Pins with T-Handle, single acting - comply with NAS / MS17985
- Ball Lock Pins with L-handle, single acting - comply with NAS / MS17986
- Ball Lock Pins with Ring Handle, single acting - comply with NAS / MS17987
- Warning Streamers, red, with "Remove Before Flight" lettering on one side and reflector on both sides
- Warning Streamers, red, with lettering "Remove Before Flight" on one side
- Warning Streamers, woven, embroidered with lettering "Remove Before Flight"
- Warning Streamers, luminous orange, with "Remove Before Flight" lettering and reflector on both sides
- Warning Streamers, red, with "Remove Before Flight" lettering and reflector on both sides
- Warning Streamers, orange, with "Remove Before Flight" lettering and two reflective strips on both sides
- Warning Streamers, red, with reflective "Remove Before Flight" lettering and two reflective strips on both sides
- Warning Streamers, luminous green, reflective, with "Remove Before Flight" lettering on both sides
- Warning Streamers, luminous orange, reflective, with "Remove Before Flight" lettering on both sides
- Warning Streamers, red, with "Remove Before Flight" lettering and two reflective strips on both sides
- Bypass Pin Kit, for Airbus A350 and A380
- Bypass Pin Kit, for Airbus A318, A319, A320, A321, A330 and A340
- Bypass Pin Kit, for Boeing 737 100-500
- Bypass Pin Kit, for Boeing B747-4 and B747-8
- Bypass Pin Kit, for Boeing 737 600-900, B757, B767, B777 and B787


chanhvinh.com

Drawing





picture 1



picture 2

Order information

Dimensions l [mm]	b	[g]	Standard description	NSN (National Stock Number)	Art. No.
with "Remove Before Flight" lettering – picture 1					
300	76	8.9	**NAS1756-12**	8345-01-137-4795	**4217.A300**
600	76	16.0	**NAS1756-24**	8345-27-025-7402	**4217.A600**
900	76	23.0	**NAS1756-36**	–	**4217.A900**
1200	76	30.0	**NAS1756-48**	8345-00-724-9637	**4217.A120**
1500	76	33.0	**NAS1756-60**	8345-01-621-8184	**4217.A150**
without lettering – picture 2					
300	50	9.2	**NAS1756N12**	8345-01-589-4133	**4217.A307**
600	76	16.0	**NAS1756N24**	8345-01-532-4263	**4217.A607**

Application example



chanhvinh.com

Compliance

RoHS-compliant
Compliant with Directive 2011/65/EU [RoHS].

Does not contain SVHC substances
No SVHC substances with more than 0.1% w/w contained - SVHC list [REACH] as of 04.02.2026.

SCIP-code
N/A

Does not contain Proposition 65 substances
No Proposition 65 substances included.
https://www.P65Warnings.ca.gov/

Free from Conflict Minerals
This product does not contain any substances designated as "conflict minerals" such as tantalum, tin, gold or tungsten from the Democratic Republic of Congo or adjacent countries.

POP-compliant
Contains no persistent organic pollutants – Stockholm Convention [POP] as of September 2025.

PFAS-compliant
Contains no per- and polyfluoroalkyl substances (PFAS).

TSCA-compliant
Agent concentration in this product does not exceed the specified threshold.