chanhvinh.com

DATA SHEET

Accessories

PROTECTIV CAP, TNC, Ohm, jack (female)

62_TNC-0-0-1/-33_-

Properties

- Easy to work with
- Available for plug(male) and jack(female) connectors



General data	
Technology	Radio Frequency
Weight	0.0111 kg
Body material	Brass / SUCOPLATE (R) Plating
Gasket material	VMQ (Silicone rubber)
Operation temperature	-65 °C ... 165 °C
Remarks	Length of Chain: 60 mm


chanhvinh.com

Accessories

PROTECTIV CAP, TNC, Ohm, jack (female)

62_TNC-0-0-1/-33_-

Technical drawing



Ordering Information Table

Item number	Item description
22640665	62_TNC-0-0-1/-33_-E

chanhvinh.com

Accessories

PROTECTIV CAP, TNC, Ohm, jack (female)

62_TNC-0-0-1/-33_-

Outline drawing

chanhvinh.com

chanhvinh.com

Accessories

PROTECTIV CAP, TNC, Ohm, jack (female)

62_TNC-0-0-1/-33_-

HUBER+SUHNER is certified by ISO 9001, ISO 14001, ISO 45001, IATF 16949, AS/EN 9100 and ISO/TS 22163-IRIS. Waiver: Facts and figures herein are for information only and do not represent any warranty of any kind.
DOCUMENT PIM-P1793 / Date of publication: 28.10.2026 / uncontrolled copy