chanhvinh.com



# Safety Data Sheet

Copyright,2021, 3M Company.
All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

| | | | |
|---|---|---|---|
| **Document Group:** | 16-1471-8 | **Version Number:** | 14.01 |
| **Issue Date:** | 09/30/21 | **Supercedes Date:** | 05/21/18 |

## SECTION 1: Identification

### 1.1. Product identifier
3M™ Hot Melt Adhesive 3762-LM-PG; 3762-LM-TC; 3762-LM-Q; 3762-LM-B, 3762-LM-AE

**Product Identification Numbers**

| ID Number | UPC | ID Number | UPC |
|---|---|---|---|
| 62-3720-7232-2 | | 62-3720-7233-0 | 00-00000-00000-0 |
| 62-3720-7234-8 | | 62-3720-9132-2 | 00-21200-49125-2 |
| 62-3720-9330-2 | 00-21200-49128-3 | 62-3720-9335-1 | 00-21200-49130-6 |
| 62-3720-9339-3 | 00-21200-49133-7 | 62-3720-9399-7 | |
| 62-3720-9531-5 | 00-51115-25579-3 | 62-3720-9830-1 | 00-21200-49134-4 |

7010366169, 7000121327, 7100025246, 7000121328, 7100023281, 7010366172, 7000121330, 7000121329, 7000121326, 7010412302

### 1.2. Recommended use and restrictions on use

**Recommended use**
Hot melt adhesive., For bonding heat sensitive materials.

### 1.3. Supplier's details
**MANUFACTURER:** 3M
**DIVISION:** Industrial Adhesives and Tapes Division
**ADDRESS:** 3M Center, St. Paul, MN 55144-1000, USA
**Telephone:** 1-888-3M HELPS (1-888-364-3577)

### 1.4. Emergency telephone number
1-800-364-3577 or (651) 737-6501 (24 hours)

## SECTION 2: Hazard identification

### 2.1. Hazard classification
Not classified as hazardous according to OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### 2.2. Label elements
**Signal word**
Not applicable.

**Symbols**

chanhvinh.com



Not applicable.

**Pictograms**
Not applicable.

**Supplemental Information:**
Avoid contact with hot extruded molten material or applicator tip. Avoid direct eye exposure to vapors. In case of eye/skin contact with molten material, immediately flush with cold water and cover with a clean dressing. Do not attempt to remove molten material. Have burn treated by a physician. May cause thermal burns.

## SECTION 3: Composition/information on ingredients

| Ingredient | C.A.S. No. | % by Wt |
|---|---|---|
| Ethylene-Vinyl Acetate Polymer | 24937-78-8 | 40 - 60 Trade Secret * |
| Hydrogenated Hydrocarbon Resin | 68132-00-3 | 20 - 40 Trade Secret * |
| Hydrocarbon Resin | 68478-07-9 | 1 - 20 Trade Secret * |
| Polyethylene | 9002-88-4 | < 10 Trade Secret * |
| Polyolefin Wax | 8002-74-2 | < 10 Trade Secret * |

*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

## SECTION 4: First aid measures

**4.1. Description of first aid measures**

**Inhalation:**
No need for first aid is anticipated.

**Skin Contact:**
Immediately flush skin with large amounts of cold water for at least 15 minutes. DO NOT ATTEMPT TO REMOVE MOLTEN MATERIAL. Cover affected area with a clean dressing. Get immediate medical attention.

**Eye Contact:**
Immediately flush eyes with large amounts of water for at least 15 minutes. DO NOT ATTEMPT TO REMOVE MOLTEN MATERIAL. Get immediate medical attention.

**If Swallowed:**
No need for first aid is anticipated.

**4.2. Most important symptoms and effects, both acute and delayed**
No critical symptoms or effects. See Section 11.1, information on toxicological effects.

**4.3. Indication of any immediate medical attention and special treatment required**
Not applicable

## SECTION 5: Fire-fighting measures

**5.1. Suitable extinguishing media**
In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

**5.2. Special hazards arising from the substance or mixture**
None inherent in this product.

**Hazardous Decomposition or By-Products**

| Substance | Condition |
|---|---|

chanhvinh.com



| | |
|---|---|
| Carbon monoxide | During Combustion |
| Carbon dioxide | During Combustion |

**5.3. Special protective actions for fire-fighters**
Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

## SECTION 6: Accidental release measures

**6.1. Personal precautions, protective equipment and emergency procedures**
Ventilate the area with fresh air. Observe precautions from other sections.

**6.2. Environmental precautions**
Avoid release to the environment.

**6.3. Methods and material for containment and cleaning up**
Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

## SECTION 7: Handling and storage

**7.1. Precautions for safe handling**
Avoid skin contact with hot material. For industrial/occupational use only. Not for consumer sale or use.

**7.2. Conditions for safe storage including any incompatibilities**
No special storage requirements.

## SECTION 8: Exposure controls/personal protection

**8.1. Control parameters**

**Occupational exposure limits**
If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient | C.A.S. No. | Agency | Limit type | Additional Comments |
|---|---|---|---|---|
| Polyolefin Wax | 8002-74-2 | ACGIH | TWA(as fume):2 mg/m3 | |
| DUST, INERT OR NUISANCE | 9002-88-4 | OSHA | TWA(as total dust):15 mg/m3;TWA(as total dust):50 millions of particles/cu. ft.(15 mg/m3);TWA(respirable fraction):5 mg/m3;TWA(respirable fraction):15 millions of particles/cu. ft.(5 mg/m3) | |

ACGIH : American Conference of Governmental Industrial Hygienists
AIHA : American Industrial Hygiene Association
CMRG : Chemical Manufacturer's Recommended Guidelines
OSHA : United States Department of Labor - Occupational Safety and Health Administration
TWA: Time-Weighted-Average
STEL: Short Term Exposure Limit
CEIL: Ceiling

**8.2. Exposure controls**

chanhvinh.com



**8.2.1. Engineering controls**
Provide appropriate local exhaust when product is heated. Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

**8.2.2. Personal protective equipment (PPE)**

**Eye/face protection**

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:
Full Face Shield
Indirect Vented Goggles

**Skin/hand protection**
No chemical protective gloves are required.

**Respiratory protection**

Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.

**Thermal hazards**
Wear heat insulating gloves when handling hot material to prevent thermal burns.

## SECTION 9: Physical and chemical properties

**9.1. Information on basic physical and chemical properties**

| | |
|---|---|
| **Appearance** | |
| **Physical state** | Solid |
| **Color** | Off-White |
| **Specific Physical Form:** | Waxy Solid |
| **Odor** | Mild Resinous |
| **Odor threshold** | *No Data Available* |
| **pH** | *Not Applicable* |
| **Melting point** | 206 ºF [*Test Method:*Ring and Ball] |
| **Boiling Point** | *Not Applicable* |
| **Flash Point** | 560 ºF |
| **Evaporation rate** | *Not Applicable* |
| **Flammability (solid, gas)** | Not Classified |
| **Flammable Limits(LEL)** | *No Data Available* |
| **Flammable Limits(UEL)** | *No Data Available* |
| **Vapor Pressure** | *Not Applicable* |
| **Vapor Density** | *No Data Available* |
| **Density** | 1.01 g/cm3 |
| **Specific Gravity** | 1.01 [*Ref Std:*WATER=1] |
| **Solubility in Water** | Nil |
| **Solubility- non-water** | *No Data Available* |
| **Partition coefficient: n-octanol/ water** | *No Data Available* |
| **Autoignition temperature** | *No Data Available* |
| **Decomposition temperature** | *No Data Available* |
| **Viscosity** | *Not Applicable* |
| **Hazardous Air Pollutants** | 0 % weight [*Test Method:*Calculated] |
| **Molecular weight** | *No Data Available* |
| **Volatile Organic Compounds** | 0 g/l [*Test Method:*calculated SCAQMD rule 443.1] |

chanhvinh.com



| | |
|---|---|
| **Percent volatile** | Approximately 0 % weight |
| **VOC Less H2O & Exempt Solvents** | 0 g/l [*Test Method:*calculated SCAQMD rule 443.1] |
| **Solids Content** | 100 % |

## SECTION 10: Stability and reactivity

**10.1. Reactivity**
This material is considered to be non reactive under normal use conditions.

**10.2. Chemical stability**
Stable.

**10.3. Possibility of hazardous reactions**
Hazardous polymerization will not occur.

**10.4. Conditions to avoid**
None known.

**10.5. Incompatible materials**
None known.

**10.6. Hazardous decomposition products**

| Substance | Condition |
|---|---|
| None known. | |

Refer to section 5.2 for hazardous decomposition products during combustion.

## SECTION 11: Toxicological information

**The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.**

**11.1. Information on Toxicological effects**

**Signs and Symptoms of Exposure**

**Based on test data and/or information on the components, this material may produce the following health effects:**

**Inhalation:**
No health effects are expected.

**Skin Contact:**
During heating: Thermal Burns: Signs/symptoms may include intense pain, redness and swelling, and tissue destruction.

**Eye Contact:**
During heating: Thermal Burns: Signs/symptoms may include severe pain, redness and swelling, and tissue destruction.

**Ingestion:**
No known health effects.

**Toxicological Data**

chanhvinh.com



If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity**

| Name | Route | Species | Value |
|---|---|---|---|
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| Ethylene-Vinyl Acetate Polymer | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| Ethylene-Vinyl Acetate Polymer | Ingestion | Rat | LD50 > 1,000 mg/kg |
| Hydrogenated Hydrocarbon Resin | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| Hydrogenated Hydrocarbon Resin | Ingestion | | LD50 estimated to be > 5,000 mg/kg |
| Hydrocarbon Resin | Dermal | Rabbit | LD50 > 3,160 mg/kg |
| Hydrocarbon Resin | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Polyethylene | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| Polyethylene | Ingestion | Rat | LD50 > 2,000 mg/kg |
| Polyolefin Wax | Dermal | Rat | LD50 > 5,000 mg/kg |
| Polyolefin Wax | Ingestion | Rat | LD50 > 5,000 mg/kg |

ATE = acute toxicity estimate

**Skin Corrosion/Irritation**

| Name | Species | Value |
|---|---|---|
| Ethylene-Vinyl Acetate Polymer | Professional judgement | No significant irritation |
| Hydrogenated Hydrocarbon Resin | Professional judgement | No significant irritation |
| Hydrocarbon Resin | similar compounds | No significant irritation |
| Polyethylene | Professional judgement | No significant irritation |
| Polyolefin Wax | Rabbit | No significant irritation |

**Serious Eye Damage/Irritation**

| Name | Species | Value |
|---|---|---|
| Ethylene-Vinyl Acetate Polymer | Professional judgement | No significant irritation |
| Hydrogenated Hydrocarbon Resin | Professional judgement | No significant irritation |
| Hydrocarbon Resin | similar compounds | Mild irritant |
| Polyolefin Wax | Rabbit | No significant irritation |

**Skin Sensitization**

| Name | Species | Value |
|---|---|---|
| Polyolefin Wax | Guinea pig | Not classified |

**Respiratory Sensitization**

For the component/components, either no data are currently available or the data are not sufficient for classification.

chanhvinh.com



### Germ Cell Mutagenicity

| Name | Route | Value |
|---|---|---|
| Polyolefin Wax | In Vitro | Not mutagenic |

### Carcinogenicity

| Name | Route | Species | Value |
|---|---|---|---|
| Polyethylene | Not Specified | Multiple animal species | Some positive data exist, but the data are not sufficient for classification |
| Polyolefin Wax | Ingestion | Rat | Not carcinogenic |

### Reproductive Toxicity

### Reproductive and/or Developmental Effects
For the component/components, either no data are currently available or the data are not sufficient for classification.

### Target Organ(s)

### Specific Target Organ Toxicity - single exposure
For the component/components, either no data are currently available or the data are not sufficient for classification.

### Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|---|---|---|---|---|---|---|
| Ethylene-Vinyl Acetate Polymer | Ingestion | liver | Not classified | Rat | NOAEL 4,000 mg/kg/day | 90 days |
| Polyolefin Wax | Ingestion | heart | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 15 mg/kg/day | 90 days |
| Polyolefin Wax | Ingestion | hematopoietic system \| liver \| immune system \| skin \| endocrine system \| bone, teeth, nails, and/or hair \| muscles \| nervous system \| eyes \| kidney and/or bladder \| respiratory system \| vascular system | Not classified | Rat | NOAEL 1,500 mg/kg/day | 90 days |

### Aspiration Hazard
For the component/components, either no data are currently available or the data are not sufficient for classification.

**Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.**

## SECTION 12: Ecological information

### Ecotoxicological information

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

### Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

chanhvinh.com



## SECTION 13: Disposal considerations

**13.1. Disposal methods**
Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Prior to disposal, consult all applicable authorities and regulations to insure proper classification. Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes.

## SECTION 14: Transport Information

Not regulated per U.S. DOT, IATA or IMO.

These transportation classifications are provided as a customer service. As the shipper YOU remain responsible for complying with all applicable laws and regulations, including proper transportation classification and packaging. 3M transportation classifications are based on product formulation, packaging, 3M policies and 3M understanding of applicable current regulations. 3M does not guarantee the accuracy of this classification information. This information applies only to transportation classification and not the packaging, labeling, or marking requirements. The original 3M package is certified for U.S. ground shipment only. If you are shipping by air or ocean, the package may not meet applicable regulatory requirements.

## SECTION 15: Regulatory information

### 15.1. US Federal Regulations
Contact 3M for more information.

**EPCRA 311/312 Hazard Classifications:**

| **Physical Hazards** |
|---|
| Not applicable |

| **Health Hazards** |
|---|
| Not applicable |

### 15.2. State Regulations
Contact 3M for more information.

### 15.3. Chemical Inventories
The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

Contact 3M for more information.

### 15.4. International Regulations
Contact 3M for more information.

**This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.**

## SECTION 16: Other information

**NFPA Hazard Classification**
**Health:** 0 **Flammability:** 1 **Instability:** 0 **Special Hazards:** None

chanhvinh.com



National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

| | | | |
|---|---|---|---|
| **Document Group:** | 16-1471-8 | **Version Number:** | 14.01 |
| **Issue Date:** | 09/30/21 | **Supercedes Date:** | 05/21/18 |

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

**3M USA SDSs are available at www.3M.com**