chanhvinh.com

# SAFETY DATA SHEET

**THE DOW CHEMICAL COMPANY**

**Product name: DOWSIL™ RSN-0255 Flake Resin**

**Issue Date:** 01/13/2026
**Print Date:** 01/14/2026

THE DOW CHEMICAL COMPANY encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

## 1. IDENTIFICATION

**Product name:** DOWSIL™ RSN-0255 Flake Resin

**Recommended use of the chemical and restrictions on use**
**Identified uses:** Additives

**COMPANY IDENTIFICATION**
THE DOW CHEMICAL COMPANY
2211 H.H. DOW WAY
MIDLAND MI 48674
UNITED STATES

**Customer Information Number:** 800-258-2436
SDSQuestion@dow.com

**EMERGENCY TELEPHONE NUMBER**
**24-Hour Emergency Contact:** CHEMTREC +1 800-424-9300
**Local Emergency Contact:** 800-424-9300

## 2. HAZARDS IDENTIFICATION

**Hazard classification for the product as supplied**
GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)
Reproductive toxicity - Category 2

**Label elements**
**Hazard pictograms**



Signal word: **WARNING!**

chanhvinh.com



**Hazards**
H361 Suspected of damaging fertility or the unborn child.

**Precautionary statements**

**Prevention**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P280 Wear protective gloves, protective clothing, eye protection and face protection.

**Response**
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

**Storage**
P405 Store locked up.

**Disposal**
P501 Dispose of contents/ container to an approved waste disposal plant.

**Hazard associated with a change in physical form:**

| **Condition** | **Hazard statements** |
|---|---|
| If small particles are generated during further processing, handling or by other means. | May form combustible dust concentrations in air. |

**Other hazards**
Dust contact with the eyes can lead to mechanical irritation.
Contact with dust can cause mechanical irritation or drying of the skin.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Synonyms:** Silane, dichlorodimethyl-, polymer with trichloromethylsilane and trichlorophenylsilane
This product is a substance.
**Substance name:** Silane, dichlorodimethyl-, polymer with trichloromethylsilane and trichlorophenylsilane
**CASRN**: 25766-16-9

| Nº | Component | CASRN | Concentration | US Unique Identifier (internal) |
|---|---|---|---|---|
| 0001 | Toluene | 108-88-3 | >= 0.28 - <= 0.71 % | Not applicable |

## 4. FIRST AID MEASURES

**Description of first aid measures**
**General advice:**
If potential for exposure exists refer to Section 8 for specific personal protective equipment.

**Inhalation:** Move person to fresh air and keep comfortable for breathing; consult a physician.

chanhvinh.com



**Skin contact:** Wash off with plenty of water.

**Eye contact:** Flush eyes with plenty of water; remove contact lenses after the first 1-2 minutes then continue flushing for several minutes. Only mechanical effects expected. If effects occur, consult a physician, preferably an ophthalmologist.

**Ingestion:** Rinse mouth with water. No emergency medical treatment necessary.

**Most important symptoms and effects, both acute and delayed:**
Suspected of damaging fertility or the unborn child.

**Indication of any immediate medical attention and special treatment needed**
**Notes to physician:** No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

## 5. FIREFIGHTING MEASURES

**Extinguishing media**

**Suitable extinguishing media:** Alcohol-resistant foam. Carbon dioxide (CO2). Dry chemical. Water spray.

**Unsuitable extinguishing media:** None known..

**Special hazards arising from the substance or mixture**

**Hazardous combustion products:** Carbon oxides. Chlorine compounds. Silicon oxides.

**Unusual Fire and Explosion Hazards:** Exposure to combustion products may be a hazard to health.. Pneumatic conveying and other mechanical handling operations can generate combustible dust. To reduce the potential for dust explosions, do not permit dust to accumulate.. May form explosive dust-air mixture during processing, handling or other means..

**Advice for firefighters**

**Fire Fighting Procedures:** Use water spray to cool unopened containers.. Evacuate area.. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations..
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Remove undamaged containers from fire area if it is safe to do so.

**Special protective equipment for firefighters:** In the event of fire, wear self-contained breathing apparatus.. Use personal protective equipment..

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures:**

chanhvinh.com



Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.

**Environmental precautions:** Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

**Methods and materials for containment and cleaning up:** Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sweep up spillage and collect in suitable container for disposal. See sections: 7, 8, 11, 12 and 13.

## 7. HANDLING AND STORAGE

**Precautions for safe handling:** Do not breathe dust. Avoid contact with eyes. Do not swallow. Avoid prolonged or repeated contact with skin. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment. Pneumatic conveying and other mechanical handling operations can generate combustible dust. To reduce the potential for dust explosions, do not permit dust to accumulate. Handle in accordance with good industrial hygiene and safety practice. CONTAINERS MAY BE HAZARDOUS WHEN EMPTY. Since emptied containers retain product residue follow all (M)SDS and label warnings evenafter container is emptied.
Use only with adequate ventilation. Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

**Conditions for safe storage:** Keep in properly labelled containers. Store locked up. Store in accordance with the particular national regulations.

Do not store with the following product types: Strong oxidizing agents.
Unsuitable materials for containers**:** None known. None known.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control parameters**
If exposure limits exist, they are listed below. If no exposure limits are displayed, then no values are applicable.

| Component | Regulation | Type of listing | Value |
|---|---|---|---|
| Toluene | ACGIH | TWA | 20 ppm |
| | Further information: Ototoxicant; A4: Not classifiable as a human carcinogen | | |
| | OSHA Z-2 | TWA | 200 ppm |
| | OSHA Z-2 | CEIL | 300 ppm |
| | OSHA Z-2 | Peak | 500 ppm |

**Biological occupational exposure limits**

| Components | CAS-No. | Control parameters | Biological specimen | Sampling time | Permissible concentration | Basis |
|---|---|---|---|---|---|---|

chanhvinh.com



| | | | | | | |
|---|---|---|---|---|---|---|
| Toluene | 108-88-3 | Toluene | In blood | Prior to last shift of workweek | 0.02 mg/l | ACGIH BEI |
| | | Toluene | Urine | End of shift (As soon as possible after exposure ceases) | 0.03 mg/l | ACGIH BEI |
| | | o-Cresol | Urine | End of shift (As soon as possible after exposure ceases) | 0.3 mg/g creatinine | ACGIH BEI |

**Exposure controls**

**Engineering controls:** Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

**Individual protection measures**

**Eye/face protection:** Use safety glasses (with side shields). If there is a potential for exposure to particles which could cause eye discomfort, wear chemical goggles.

**Skin protection**

**Hand protection:** Use gloves chemically resistant to this material when prolonged or frequently repeated contact could occur. Examples of preferred glove barrier materials include: Polyvinyl chloride ("PVC" or "vinyl"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

**Other protection:** Wear clean, body-covering clothing.

**Respiratory protection:** Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator.
The following should be effective types of air-purifying respirators: Particulate filter.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance**

chanhvinh.com



| | |
|---|---|
| **Physical state** | flakes |
| **Color** | White |
| **Odor** | Very little |
| **Odor Threshold** | No data available |
| **pH** | Not applicable |
| **Melting point/freezing point** | |
| **Melting point/ range** | No data available |
| **Freezing point** | No data available |
| **Boiling point, initial boiling point and boiling range** | |
| **Boiling point (760 mmHg)** | Not applicable |
| **Flash point** | **closed cup** >100 °C ( 212 °F) |
| **Evaporation Rate (Butyl Acetate = 1)** | Not applicable |
| **Flammability** | |
| **Flammability (solid, gas)** | Not classified as a flammability hazard |
| **Flammability (liquids)** | No data available |
| **Upper/lower flammability or explosive limits** | |
| **Lower explosion limit** | No data available |
| **Upper explosion limit** | No data available |
| **Vapor Pressure** | Not applicable |
| **Relative vapour density** | |
| **Relative Vapor Density (air = 1)** | No data available |
| **Density and / or relative density** | |
| **Relative Density (water = 1)** | 1.22 |
| **Solubility(ies)** | |
| **Water solubility** | No data available |
| **Partition coefficient: n-octanol/water (log value)** | No data available |
| **Auto-ignition temperature** | No data available |
| **Decomposition temperature** | No data available |
| **Dynamic Viscosity** | Not applicable |
| **Kinematic Viscosity** | Not applicable |
| **Explosive properties** | Not explosive |
| **Oxidizing properties** | The substance or mixture is not classified as oxidizing. |
| **Molecular weight** | No data available |
| **Particle characteristics** | |
| **Particle size** | 75 µm |

NOTE: The physical data presented above are typical values and should not be construed as a specification.

chanhvinh.com



## 10. STABILITY AND REACTIVITY

**Reactivity:** Not classified as a reactivity hazard.

**Chemical stability:** Stable under normal conditions.

**Possibility of hazardous reactions:** Can react with strong oxidizing agents. Dust can form an explosive mixture in air.

**Conditions to avoid:** Avoid static discharge.

**Incompatible materials:** Avoid contact with oxidizing materials.

**Hazardous decomposition products:**
Decomposition products can include and are not limited to: Benzene.

## 11. TOXICOLOGICAL INFORMATION

*Toxicological information appears in this section when such data are available.*

**Information on likely routes of exposure**
Inhalation, Eye contact, Skin contact, Ingestion.

**Acute toxicity (represents short term exposures with immediate effects - no chronic/delayed effects known unless otherwise noted)**

**Acute Toxicity Endpoints:**
Not classified based on available information.

**Acute oral toxicity**

**Information for the Product:**

Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.

As product: Single dose oral LD50 has not been determined.

Based on information for component(s):
LD50, > 5,000 mg/kg Estimated.

**Information for components:**

**Toluene**
LD50, Rat, male, 5,580 mg/kg

**Acute dermal toxicity**

**Information for the Product:**

Prolonged skin contact is unlikely to result in absorption of harmful amounts.

chanhvinh.com



As product: The dermal LD50 has not been determined.

Based on information for component(s):
LD50, > 2,000 mg/kg Estimated.

**Information for components:**

**Toluene**
LD50, Rabbit, 12,267 mg/kg

**Acute inhalation toxicity**

**Information for the Product:**

Brief exposure (minutes) is not likely to cause adverse effects.

As product: The LC50 has not been determined.

**Information for components:**

**Toluene**
LC50, Rat, male, 4 Hour, vapour, 25.7 mg/l

LC50, Rat, female, 4 Hour, vapour, 30 mg/l

**Skin corrosion/irritation**

Not classified based on available information.

**Information for the Product:**

Typical for this family of materials.
Brief contact is essentially nonirritating to skin.

**Information for components:**

**Toluene**
Brief contact may cause slight skin irritation with local redness.
Prolonged contact may cause moderate skin irritation with local redness.
May cause drying and flaking of the skin.

**Serious eye damage/eye irritation**

Not classified based on available information.

**Information for the Product:**

Typical for this family of materials.
Solid or dust may cause irritation or corneal injury due to mechanical action.

**Information for components:**

**Toluene**
May cause slight eye irritation.

chanhvinh.com



May cause slight temporary corneal injury.
Vapor may cause eye irritation experienced as mild discomfort and redness.
Vapor may cause lacrimation (tears).

**Sensitization**

**For skin sensitization:**
Not classified based on available information.

**For respiratory sensitization:**
Not classified based on available information.

**Information for the Product:**

For skin sensitization:
Contains component(s) which did not cause allergic skin sensitization in guinea pigs.

For respiratory sensitization:
No relevant data found.

**Information for components:**

**Toluene**
For skin sensitization:
Did not cause allergic skin reactions when tested in guinea pigs.

For respiratory sensitization:
No relevant data found.

**Specific Target Organ Systemic Toxicity (Single Exposure)**

Not classified based on available information.

**Information for the Product:**

Product test data not available.

**Information for components:**

**Toluene**
May cause drowsiness or dizziness.
Route of Exposure: Inhalation
Target Organs: Central nervous system

**Aspiration Hazard**

Not classified based on available information.

**Information for the Product:**

Based on physical properties, not likely to be an aspiration hazard.

**Information for components:**

**Toluene**

chanhvinh.com



May be fatal if swallowed and enters airways.

**Chronic toxicity (represents longer term exposures with repeated dose resulting in chronic/delayed effects - no immediate effects known unless otherwise noted)**

**Specific Target Organ Systemic Toxicity (Repeated Exposure)**

Not classified based on available information.

**Information for the Product:**

Product test data not available.

**Information for components:**

**Toluene**
In animals, effects have been reported on the following organs:
Central nervous system.
Excessive exposure may cause neurologic signs and symptoms.
Toluene has caused hearing loss in laboratory animals upon exposure to high concentrations.
Intentional misuse by deliberately inhaling toluene may cause nervous system damage, hearing loss, liver and kidney effects and death.

**Carcinogenicity**

Not classified based on available information.

**Information for the Product:**

Product test data not available.

**Information for components:**

**Toluene**
Did not cause cancer in laboratory animals.

**Teratogenicity**

Suspected of damaging fertility or the unborn child.

**Information for the Product:**

Product test data not available.

**Information for components:**

**Toluene**
In laboratory animals, toluene has been toxic to the fetus at doses toxic to the mother; it has caused birth defects in mice when administered orally, but not by inhalation.

**Reproductive toxicity**

chanhvinh.com



Suspected of damaging fertility or the unborn child.

**Information for the Product:**

Product test data not available.

**Information for components:**

**Toluene**
In animal studies, did not interfere with reproduction.

**Mutagenicity**

Not classified based on available information.

**Information for the Product:**

Product test data not available.

**Information for components:**

**Toluene**
The majority and most reliable of the many genetic toxicity studies on toluene, both in vitro and in animals, indicate that it is not genetically toxic.

## 12. ECOLOGICAL INFORMATION

*Ecotoxicological information appears in this section when such data are available.*

**Toxicity**

**Information for the Product:**

Product test data not available.

**Information for components:**

**Toluene**
**Acute toxicity to fish**
Material is moderately toxic to aquatic organisms on an acute basis (LC50/EC50 between 1 and 10 mg/L in the most sensitive species tested).
LC50, Oncorhynchus mykiss (rainbow trout), semi-static test, 96 Hour, 5.8 mg/l, OECD Test Guideline 203
LC50, Oncorhynchus kisutch (coho salmon), flow-through test, 96 Hour, 5.5 mg/l

**Acute toxicity to aquatic invertebrates**
EC50, Daphnia magna (Water flea), static test, 24 Hour, 7 mg/l, OECD Test Guideline 202
LC50, water flea Ceriodaphnia dubia, semi-static test, 48 Hour, 3.78 mg/l

**Acute toxicity to algae/aquatic plants**
EC50, Chlorella sp, 3 Hour, 134 mg/l

chanhvinh.com



NOEC, Skeletonema costatum (marine diatom), 72 Hour, Biomass, 10 mg/l, OECD Test Guideline 201 or Equivalent

**Toxicity to bacteria**
EC50, Nitrosomonas sp., Static, 24 Hour, Respiration rates., 84 mg/l

**Chronic toxicity to fish**
NOEC, Oncorhynchus kisutch (coho salmon), flow-through test, 40 d, growth, 1.39 mg/l

**Chronic toxicity to aquatic invertebrates**
NOEC, Ceriodaphnia dubia (water flea), 7 d, number of offspring, 0.74 mg/l
NOEC, Daphnia magna (Water flea), 21 d, number of offspring, 2 mg/l

**Toxicity to soil-dwelling organisms**
LC50, Eisenia fetida (earthworms), 28 d, mortality, 150 - 280 mg/kg

**Persistence and degradability**

**Information for the Product:**

Product test data not available.

**Information for components:**

**Toluene**
**Biodegradability:** Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.
10-day Window: Not applicable
**Biodegradation:** 100 %
**Exposure time:** 14 d
**Method:** OECD Test Guideline 301C or Equivalent

**Theoretical Oxygen Demand:** 3.13 mg/mg

**Photodegradation**
**Test Type:** Half-life (indirect photolysis)
**Sensitization:** OH radicals
**Atmospheric half-life:** 2 d
**Method:** Estimated.

**Bioaccumulative potential**

**Information for the Product:**

Product test data not available.

**Information for components:**

**Toluene**
**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3).
**Partition coefficient: n-octanol/water(log Pow):** 2.73 Measured
**Bioconcentration factor (BCF):** 90 Carp (Leuciscus idus melanotus) Measured

chanhvinh.com



**Mobility in soil**

**Information for the Product:**

Product test data not available.

**Information for components:**

**Toluene**
**Partition coefficient (Koc):** 205 Estimated.

## 13. DISPOSAL CONSIDERATIONS

**Disposal methods:** DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility of the waste generator. AS YOUR SUPPLIER, WE HAVE NO CONTROL OVER THE MANAGEMENT PRACTICES OR MANUFACTURING PROCESSES OF PARTIES HANDLING OR USING THIS MATERIAL. THE INFORMATION PRESENTED HERE PERTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS INTENDED CONDITION AS DESCRIBED IN SDS SECTION 1: Identified Uses. FOR UNUSED & UNCONTAMINATED PRODUCT, the preferred options include sending to a licensed, permitted: Incinerator or other thermal destruction device. For additional information, refer to: Handling & Storage Information, MSDS Section 7 Stability & Reactivity Information, MSDS Section 10 Regulatory Information, MSDS Section 15

**Treatment and disposal methods of used packaging:** Empty containers should be recycled or otherwise disposed of by an approved waste management facility. Waste characterizations and compliance with applicable laws are the responsibility of the waste generator. Do not re-use containers for any purpose.

## 14. TRANSPORT INFORMATION

**DOT**

Not regulated for transport

**Classification for SEA transport (IMO-IMDG):**

Not regulated for transport

**Transport in bulk according to Annex I or II of MARPOL 73/78 and the IBC or IGC Code**: Consult IMO regulations before transporting ocean bulk

**Classification for AIR transport (IATA/ICAO):**

Not regulated for transport

chanhvinh.com



This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

## 15. REGULATORY INFORMATION

**Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312**
Combustible dust
Reproductive toxicity

**Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313**
This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Pennsylvania Right To Know**
The following chemicals are listed because of the additional requirements of Pennsylvania law:

| Components | CASRN |
|---|---|
| Silane, dichlorodimethyl-, polymer with trichloromethylsilane and trichlorophenylsilane | 25766-16-9 |

**California Prop. 65**
WARNING: This product can expose you to chemicals including Benzene, which is/are known to the State of California to cause cancer, and Toluene, Benzene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

**United States TSCA Inventory (US TSCA)**
All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

## 16. OTHER INFORMATION

**Hazard Rating System**
**NFPA**

| Health | Flammability | Instability |
|---|---|---|
| 0 | 1 | 0 |

chanhvinh.com



**HMIS**

| Health | Flammability | Physical Hazard |
|---|---|---|
| 0* | 3 | 0 |

* = Chronic Effects (See Hazards Identification)

**Revision**

Identification Number: 4120880 / A001 / Issue Date: 01/13/2026 / Version: 10.0

In case this version of the SDS contains significant changes from the previous version, they are listed below or noted by bold, double bars in the left-hand margin throughout this document.
Changes encompass identification, hazards, tox/eco-tox information and the addition/removal of the ingredients, and regulatory information, hazard information, uses, risk management measures and other key regulatory changes of the product. Detailed explanation of the changes can be obtained upon request.

**Legend**

| | |
|---|---|
| ACGIH | USA. ACGIH Threshold Limit Values (TLV) |
| ACGIH BEI | ACGIH - Biological Exposure Indices (BEI) |
| CEIL | Acceptable ceiling concentration |
| OSHA Z-2 | USA. Occupational Exposure Limits (OSHA) - Table Z-2 |
| Peak | Acceptable maximum peak above the acceptable ceiling concentration for an 8-hr shift |
| TWA | 8-hour, time-weighted average |

**Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rateresponse; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitoryconcentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG -International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan);ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical

chanhvinh.com



Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

**Information Source and References**
This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

THE DOW CHEMICAL COMPANY urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The informationherein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express orimplied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.
US

chanhvinh.com





**WARNING**
**Contains**: Silane, dichlorodimethyl-, polymer with trichloromethylsilane and trichlorophenylsilane / 25766-16-9; Toluene / 108-88-3**Hazards:** Suspected of damaging fertility or the unborn child. **Prevention:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing, eye protection and face protection. **Response:** IF exposed or concerned: Get medical advice/ attention. **Storage:** Store locked up. **Disposal:** Dispose of contents/ container to an approved waste disposal plant. If small particles are generated during further processing, handling or by other means. May form combustible dust concentrations in air.
**Supplemental information** Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.

**Refer to the Safety Data Sheet before use.**

**COMPANY IDENTIFICATION**
THE DOW CHEMICAL COMPANY
2211 H.H. DOW WAY
MIDLAND MI 48674
UNITED STATES

**EMERGENCY TELEPHONE NUMBER**
**24-Hour Emergency Contact:**
CHEMTREC +1 800-424-9300
**Local Emergency Contact:**
800-424-9300

**Customer Information Number:**
800-258-2436

® ™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow



® ™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

**Revision**
Identification Number: 4120880 / A001 / Issue Date: 01/13/2026 / Version: 10.0