chanhvinh.com

KLEENGUARD®

Technical Data Sheet

Product Data Sheet for KleenGuard® G10 FleX Nitrile Gloves - 24cm Ambidextrous / Blue /S - 54332

Product Information

Customer Facing Code	54332
Description	KleenGuard® G10 FleX Nitrile Gloves - 24cm Ambidextrous / Blue /S
PDS Reference	18/10/2022

Packaging Configuration

Case Contents 54332: 10 Dispenser Boxes x 100 Gloves = 1000 Gloves

Icon	Unit	Dimension				Weight(kg)
	Dispenser Box	24.00	x 24.00	x 5.00	Length x Width x Height(cm)	0.10
	Glove					0.00

Product Description

KleenGuard® Personal Protective Equipment (PPE) enables rather than inhibits – allowing for maximum productivity and safety for you and your employees. When you need a thin working glove to help protect without sacrificing productivity, KleenGuard® G10 Flex™ blue nitrile gloves are a great choice. Due to their 0.08 mm finger thickness, these tactile gloves help enhance productivity by enabling workers to feel the shape and texture of objects while performing light-duty tasks. Thanks to the smart design, these ambidextrous, touch screen compatible, highly disposable gloves help increase speed and accuracy whilst providing excellent fit. The textured fingertips of the touch screen gloves give employees a grippable surface for dexterity while performing sensitive tasks. The beaded cuff helps prevent roll-down and makes the precision gloves easier to don. The tactile gloves' synthetic nitrile rubber material provides extra resistance and durability when compared with latex, making them the ideal choice for hand protection, plus reducing the potential for Type 1 PPE glove associated reactions. These safety gloves are also powder free, minimising the drying effect of powder on skin and helping to avoid skin allergies and reducing the risk of contamination. Ideal for light-duty tasks and with an ambidextrous design, KleenGuard® G10 nitrile gloves are perfectly suited for any user and come in a portable dispenser box for mobility and easy access. KleenGuard® G10 Flex™ blue nitrile gloves are AQL 1.5 (defined according to ISO 2859-1) and available in a variety of sizes from XS to XL; for other glove sizes, see product codes 54331, 54333, 54334, 54335. Nitrile glove size 0.08 mm (thick) x 24 cm (L). These blue nitrile gloves are a leading choice across a variety of industries such as painting, automotive and small parts handling, precision electronic assembly, manufacturing and food service because they are comfortable to wear, provide excellent tactile sensitivity, deliver reliable protection for the task at hand and offer improved cost-in-use. Making the right Personal Protection choice is difficult. Perform with distinction with KleenGuard® Personal Protective Equipment (PPE). 10 Boxes x 100 Blue, S, PPE Gloves (1,000 Total)Kimberly-Clark Professional™ personal protective equipment is only intended for occupational workplace use and must be used in compliance with all applicable health and safety laws and standards in addition to all user instructions, warnings and limitations accompanying each product. It is essential all product user instructions and laws and regulations on the use of each product be followed in order for the product to help protect the wearer. Misuse of personal protective equipment may result in injury, sickness, or death. For correct product selection and use, individuals should seek occupational health and safety advice from a suitably competent person. This product is suitable for sale in the EU.

Product Configuration

Sterile	Yes	**Latex Free**	Yes
Silicone Free	No	**Ambidextrous**	No
Powdered	No	**Material**	Nitrile
Bar Code (Case)	10036000543329	**Bar Code (Pack)**	036000543322
Colour	Blue		

Product Data Sheet for KleenGuard® G10 FleX Nitrile Gloves - 24cm Ambidextrous / Blue /S - 54332

International Standards and Symbols

Solution

Healthier Workplace

The HEALTHY WORKPLACE PROJECT* is a comprehensive office hygiene programme which helps engage employees and reduce sickness.



Safer Workplace

We know staff safety is your top priority. You can rely on our solutions to protect them, their environment and your important work.



Productive Workplace

The success of your business hinges on your work efficiency. That's why our solutions are designed to help improve your productivity.



Standard R+E

Food Contact Regulations

This product is suitable for food contact and complies with Regulation (EC) No. 1935/2004. Furthermore, nitrile rubber gloves comply with Regulation (EC) No. 10/2011 and German Recommendation, BfR No. XXI, and paper products comply with German Recommendation, BfR No. XXXVI.

CE Mark

Simple - CAT I, Intermediate - CAT II or Complex - CAT III

Trade

ISO 9001

This gives the requirements for quality management systems, is now firmly established as the globally implemented standard for providing assurance about the ability to satisfy quality requirements and to enhance customer satisfaction in supplier-customer relationships.

Packaging

Unit Of Sale	Case	**Net Weight(kg)**	0.1
Max Weight(kg)	0.89	**Case Dimension (LXWXH)(cm)**	26 x 26 x 25
Inner Pack Material	Cartonboard		

Pallet Type	LxWxH (m)	Cases per Layer	Layers per Pallet	Cases per Pallet
E5	1.20 x 0.80 x 1.40	12	5	60

Related Products

Product Code	Description
Same product different size	
54331	KleenGuard® G10 FleX Nitrile Gloves - 24cm Ambidextrous / Blue /XS
54333	KleenGuard® G10 FleX Nitrile Gloves - 24cm Ambidextrous / Blue /M
54334	KleenGuard® G10 FleX Nitrile Gloves - 24cm Ambidextrous / Blue /Large
54335	KleenGuard® G10 FleX Nitrile Gloves - 24cm Ambidextrous / Blue /XL

chanhvinh.com

Product Data Sheet for KleenGuard® G10 FleX Nitrile Gloves - 24cm Ambidextrous / Blue /S - 54332

Instructions

The open book pictogram - indicates that the user should read and understand the USER INSTRUCTIONS before using the garment.

Protect from heat and radioactive sources.

Keep Dry. Store in a cool, dry place.

Single use only.

Information

It is the employer's responsibility to assess the risk of the task to be undertaken and determine the correct choice of personal protective equipment for the task. The manufacturer, Kimberly-Clark, does not accept any responsibility for the incorrect choice or misuse of the personal protective equipment shown in this brochure. All care has been taken to ensure that the information contained herein is as accurate as possible at the time of publication, however errors may occur and legislation concerning personal protective equipment is under constant review and may change in the lifetime of this brochure. Accordingly, the specification for the products may be subject to change. We would advise you to contact INFOFAX if you have any queries concerning the products shown or the suitability of such products for a particular task. Always dispose of used protective equipment in a safe and appropriate manner in accordance with European, National and Local environmental regulations.

Websites	www.kcprofessional.co.uk	**Storage conditions**	Keep dry. Store in a cool dry place and shield from exposure to direct sunlight, intense artificial light or exposure to sources of radiation or ozone.
Durability	This product has a five years shelf life from the date of manufacture.		
Customer Service Number	For more information please contact Customer Service during regular office hours-0870 551 044		
Country of Origin	CHINA		

(Code=U5433201/LN=01/Country=GB/Type=C)