chanhvinh.com

LAPP

PRODUCT INFORMATION

SKINDICHT® BL-M

SKINDICHT® BL-M, brass blind plugs for closing pre-threaded holes, assembling with screwdriver



CE

- Temperature-resistant
- Reliability
- Robust
- Corrosion-resistant

Benefits

For closing pre-threaded holes
Assembling with screwdriver

Application range

Machine and equipment manufacturing
Electric motor manufacturing

Product Make-up

Metric connection thread acc. to DIN EN 60423
Basis for technical information DIN IEC 62444

Technical Data

Classification ETIM 5:	ETIM 5.0 Class-ID: EC000032 ETIM 5.0 Class-Description: Plug for cable screw gland
Classification ETIM 6:	ETIM 6.0 Class-ID: EC000032 ETIM 6.0 Class-Description: Plug for cable screw gland
On request:	Fitted with FKM O-ring

Last Update (10.11.2018)
©2018 Lapp Group - Technical changes reserved
Product Management www.lappkabel.de
You can find the current technical data in the corresponding data sheet.
PN 0456 / 02_03.16

chanhvinh.com

LAPP

PRODUCT INFORMATION

SKINDICHT® BL-M

Material:	Body: nickel-plated brass
Protection rating:	IP 54 IP 68 (with O-Ring)
Temperature range:	With O-ring: -30 °C to +100 °C Without O-ring: -60 °C to +200 °C

Note
Photographs and graphics are not to scale and do not represent detailed images of the respective products.
Prices are net prices without VAT and surcharges. Sale to business customers only.

chanhvinh.com

©2018 Lapp Group - Technical changes reserved

chanhvinh.com

Article number	Article designation / size	PL_DURCHMESSERAUSSEN	Outer Ø (mm)
SKINDICHT® BL-M			
52103100	M 12 x 1,5	14	14.0
52103110	M 16 x 1,5	18	18.0
52103120	M 20 x 1,5	22	22.0
52103130	M 25 x 1,5	28	28.0
52103140	M 32 x 1,5	35	35.0
52103150	M 40 x 1,5	44	44.0
52103160	M 50 x 1,5	54	54.0
52103170	M 63 x 1,5	70	70.0
52103190	M 75 x 1,5	80	80.0
SKINDICHT® BL-M with O-ring			
52103105	M 12 x 1,5	14	14.0
52103115	M 16 x 1,5	18	18.0
52103125	M 20 x 1,5	22	22.0
52103135	M 25 x 1,5	28	28.0
52103145	M 32 x 1,5	35	35.0
52103155	M 40 x 1,5	44	44.0
52103165	M 50 x 1,5	54	54.0
52103175	M 63 x 1,5	70	70.0

Last Update (10.11.2018)
©2018 Lapp Group - Technical changes reserved
Product Management www.lappkabel.de
You can find the current technical data in the corresponding data sheet.