chanhvinh.com

A2531060

ROUND KNOB 31, without line

Suitable for rotary potentiometer with round shaft ends according to DIN 41591. Collet system for convenient knob assembly from the front and simple adjustment (with adjustment key - sep. article). Continuous center hole. Max. torque: assembly = 1,8 Nm, function = 1,6 Nm.

Supply
1 round knob



TECHNICAL DATA

Material	ABS (UL 94 HB)
Colour	black RAL 9005
Standards	RoHS compliant, REACH compliant

Diameter	31 mm
Height	15 mm
Bore hole	6 mm

Please take the dimensions from current parts. These are subject to material- and manufacturing-specific tolerances.

PURCHASING DATA

Weight/1 part	8 g
Customs tariff number (OKW product)	84879090
Country of manufacture	Germany

CUSTOMISING OPTIONS

What else do you need to create your own personal product? We can supply our enclosures and tuning knobs fully modified to suit your electronic components and design requirements. Please advise for anything else we can do for you.

chanhvinh.com

A2531060

ROUND KNOB 31, without line

Customising options for A2531060



Machining



Printing



Installation / Assembly of accessories

chanhvinh.com

chanhvinh.com

A2531060

ROUND KNOB 31, without line

SYSTEM COMPONENTS TO COMPLETE



A4131000
Cover 31, without line
ABS (UL 94 HB)
black RAL 9005



A4131002
Cover 31, without line
ABS (UL 94 HB)
red RAL F12/0-10



A4131005
Cover 31, without line
ABS (UL 94 HB)
green RAL F12/0-43



A4131006
Cover 31, without line
ABS (UL 94 HB)
light blue RAL 5012



A4131007
Cover 31, without line
ABS (UL 94 HB)
pebble grey RAL 7032



A4131008
Cover 31, without line
ABS (UL 94 HB)
dusty grey RAL 7037



A4131100
Cover 31, with line
ABS (UL 94 HB)
black RAL 9005



A4131102
Cover 31, with line
ABS (UL 94 HB)
red RAL F12/0-10



A4131108
Cover 31, with line
ABS (UL 94 HB)
dusty grey RAL 7037

ACCESSORY "SCREWS"



A6207009
Round nut M7 x 0.75



A6210009
Round nut M10 x 0.75



A6295009
Round nut 3/8"-32G



A6300000
Spanner

chanhvinh.com

A2531060

ROUND KNOB 31, without line

ACCESSORY



A4231000
Arrow disk 31
ABS (UL 94 HB)
black RAL 9005



A4231002
Arrow disk 31
ABS (UL 94 HB)
red RAL F12/0-10



A4231008
Arrow disk 31
ABS (UL 94 HB)
dusty grey RAL 7037



A4431010
Dial 31
PC (UL 94 HB)
transparent



A4431060
Dial 31
PC (UL 94 HB)
transparent



A6403005
Adjusting key 20/23/31
ABS (UL 94 HB)
green



A6600064
Torsion protection 6/4.6




A7331000
Disk 31, without line
ABS (UL 94 HB)
black RAL 9005





A7331010
Disk 31, with line
ABS (UL 94 HB)
black RAL 9005


Subject to technical modification without notice. © by OKW Gehäusesysteme, Buchen/Germany.

chanhvinh.com









Bitte die Maße an aktuellen Teilen abnehmen. Diese unterliegen material und produktionsspezifischen Fertigungstoleranzen			Please take the dimensions from current parts. These are subject to material- and manufacutring-specific tolerances	
Informationskopie wird nicht aktualisiert Copy for Information will not be updated	Erst. am: 07.04.2020 Erst. von: J. Farrenkopf Freig. am: Freig. von: Revision: 01	Toleranzen: DIN 16901 T130 Volumen:	Status: ENTWICKLUNG Zeichnungsart: KUNDE	DIN 6 Teil 2
Technische Änderungen vorbehalten. Irrtümer oder Druckfehler begründen keinen Anspruch auf Schadenersatz. Wichtige Einbaumaße bitte direkt mit dem aktuellen Produkt abstimmen. Subject to technical modification without prior notice. Typographical and other errors do not justify any claim for damages. All dimensions should be verified using an actual moulded part. Sous reserve de modifications techniques. Toute erreur ou faute d'impression ne justife aucune demande d'indemnisation. Nous prions les clients de verifer les dimensions des composants avec les boitiers avant le montage.	OKW GEHÄUSE SYSTEME	This document contains proprietary information of OKW Gehäusesysteme GmbH and is tendered subject to the conditions that the information be retained in confidence not be reproduced or copied and not be used or incorporated in any product.		
		KOMBIKNOEPFE-SPANNZANGE 31 Rundknopf 31 mit Spannzange d=6mm		
		A2*3106*		M 1:1
		Für dieses Dokument behalten wir uns alle Urheberrechte vor. Es darf auch auszugsweise weder vervielfältigt noch Dritten in irgendeiner Form zugänglich gemacht werden.		Dateiname: 00006775