chanhvinh.com

2M SECTION 2 MM PITCH

OMEGA TIMING

SAMPLE PART # : 232-2M-6

PART NUMBER	PITCH LENGTH (MM)	NO. OF TEETH
90-2M-3	90	45
100-2M-3	100	50
104-2M-3	104	52
112-2M-3	112	56
118-2M-3	118	59
120-2M-3	120	60
124-2M-3	124	62
130-2M-3	130	65
140-2M-3	140	70
90-2M-6	90	45
100-2M-6	100	50
104-2M-6	104	52
112-2M-6	112	56
118-2M-6	118	59
120-2M-6	120	60
124-2M-6	124	62
130-2M-6	130	65
140-2M-6	140	70
90-2M-9	90	45
100-2M-9	100	50
104-2M-9	104	52
112-2M-9	112	56
118-2M-9	118	59
120-2M-9	120	60
124-2M-9	124	62
130-2M-9	130	65
140-2M-9	140	70

PART NUMBER	PITCH LENGTH (MM)	NO. OF TEETH
148-2M-3	148	74
180-2M-3	180	90
184-2M-3	184	92
188-2M-3	188	94
200-2M-3	200	100
208-2M-3	208	104
216-2M-3	216	108
232-2M-3	232	116
250-2M-3	250	125
148-2M-6	148	74
180-2M-6	180	90
184-2M-6	184	92
188-2M-6	188	94
200-2M-6	200	100
208-2M-6	208	104
216-2M-6	216	108
232-2M-6	232	116
250-2M-6	250	125
148-2M-9	148	74
180-2M-9	180	90
184-2M-9	184	92
188-2M-9	188	94
200-2M-9	200	100
208-2M-9	208	104
216-2M-9	216	108
232-2M-9	232	116
250-2M-9	250	125

PART NUMBER	PITCH LENGTH (MM)	NO. OF TEETH
266-2M-3	266	133
274-2M-3	274	137
280-2M-3	280	140
286-2M-3	286	143
308-2M-3	308	154
310-2M-3	310	155
328-2M-3	328	164
330-2M-3	330	165
340-2M-3	340	170
266-2M-6	266	133
274-2M-6	274	137
280-2M-6	280	140
286-2M-6	286	143
308-2M-6	308	154
310-2M-6	310	155
328-2M-6	328	164
330-2M-6	330	165
340-2M-6	340	170
266-2M-9	266	133
274-2M-9	274	137
280-2M-9	280	140
286-2M-9	286	143
308-2M-9	308	154
310-2M-9	310	155
328-2M-9	328	164
330-2M-9	330	165
340-2M-9	340	170

PART NUMBER	PITCH LENGTH (MM)	NO. OF TEETH
370-2M-3	370	185
426-2M-3	426	213
448-2M-3	448	224
558-2M-3	558	279
560-2M-3	560	280
710-2M-3	710	355
984-2M-3	984	492
1066-2M-3	1066	533
1224-2M-3	1224	612
370-2M-6	370	185
426-2M-6	426	213
448-2M-6	448	224
558-2M-6	558	279
560-2M-6	560	280
710-2M-6	710	355
984-2M-6	984	492
1066-2M-6	1066	533
1224-2M-6	1224	612
370-2M-9	370	185
426-2M-9	426	213
448-2M-9	448	224
558-2M-9	558	279
560-2M-9	560	280
710-2M-9	710	355
984-2M-9	984	492
1066-2M-9	1066	533
1224-2M-9	1224	612

CUT TO SIZE WIDTHS

If you need a custom width timing belt, OPTIBELT has you covered. Each OPTIBELT facility can cut custom widths. This means you don't have to wait for a manufactured factory order. If it is stocked it can ship!

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.

EXPEDITED SHIPPING: Each OPTIBELT warehouse facility cuts timing belts to width for faster order service.

EXAMPLE SIZING:
Part Number: 184-2M-3
184 = 184 mm Pitch Length 2M = Section & Construction 3 = 3 mm Belt Width
Part Number: 308-2M-9
308 = 150 mm Pitch Length 2M = Section & Construction 9 = 9 mm Belt Width

chanhvinh.com

SAMPLE PART # :339-3M-6

OMEGA TIMING

3M SECTION 3 MM PITCH

PART NUMBER	PITCH LENGTH (MM)	NO. OF TEETH
111-3M-6	111	37
129-3M-6	129	43
141-3M-6	141	47
144-3M-6	144	48
150-3M-6	150	50
165-3M-6	165	55
168-3M-6	168	56
174-3M-6	174	58
177-3M-6	177	59
180-3M-6	180	60
183-3M-6	183	61
186-3M-6	186	62
192-3M-6	192	64
195-3M-6	195	65
201-3M-6	201	67
204-3M-6	204	68
207-3M-6	207	69
210-3M-6	210	70
213-3M-6	213	71
111-3M-9	111	37
129-3M-9	129	43
141-3M-9	141	47
144-3M-9	144	48
150-3M-9	150	50
165-3M-9	165	55
168-3M-9	168	56
174-3M-9	174	58
177-3M-9	177	59
180-3M-9	180	60
183-3M-9	183	61
186-3M-9	186	62
192-3M-9	192	64
195-3M-9	195	65
201-3M-9	201	67
204-3M-9	204	68
207-3M-9	207	69
210-3M-9	210	70
213-3M-9	213	71

PART NUMBER	PITCH LENGTH (MM)	NO. OF TEETH
225-3M-6	225	75
240-3M-6	240	80
252-3M-6	252	84
255-3M-6	255	85
267-3M-6	267	89
285-3M-6	285	85
288-3M-6	288	96
291-3M-6	291	97
294-3M-6	294	98
300-3M-6	300	100
312-3M-6	312	104
315-3M-6	315	105
318-3M-6	318	106
330-3M-6	330	110
339-3M-6	339	113
345-3M-6	345	115
357-3M-6	357	119
363-3M-6	363	121
366-3M-6	366	122
225-3M-9	225	75
240-3M-9	240	80
252-3M-9	252	84
255-3M-9	255	85
267-3M-9	267	89
285-3M-9	285	85
288-3M-9	288	96
291-3M-9	291	97
294-3M-9	294	98
300-3M-9	300	100
312-3M-9	312	104
315-3M-9	315	105
318-3M-9	318	106
330-3M-9	330	110
339-3M-9	339	113
345-3M-9	345	115
357-3M-9	357	119
363-3M-9	363	121
366-3M-9	366	122

PART NUMBER	PITCH LENGTH (MM)	NO. OF TEETH
384-3M-6	384	128
390-3M-6	390	130
420-3M-6	420	140
426-3M-6	426	142
447-3M-6	447	149
462-3M-6	462	154
474-3M-6	474	158
480-3M-6	480	160
486-3M-6	486	162
495-3M-6	495	165
501-3M-6	501	167
513-3M-6	513	171
519-3M-6	519	173
522-3M-6	522	174
525-3M-6	525	175
531-3M-6	531	177
537-3M-6	537	179
558-3M-6	558	186
384-3M-9	384	128
390-3M-9	390	130
420-3M-9	420	140
426-3M-9	426	142
447-3M-9	447	149
462-3M-9	462	154
474-3M-9	474	158
480-3M-9	480	160
486-3M-9	486	162
495-3M-9	495	165
501-3M-9	501	167
513-3M-9	513	171
519-3M-9	519	173
522-3M-9	522	174
525-3M-9	525	175
531-3M-9	531	177
537-3M-9	537	179
558-3M-9	558	186
564-3M-9	564	188

PART NUMBER	PITCH LENGTH (MM)	NO. OF TEETH
564-3M-6	564	188
570-3M-6	570	190
597-3M-6	597	199
600-3M-6	600	200
606-3M-6	606	202
615-3M-6	615	205
633-3M-6	633	211
669-3M-6	669	223
675-3M-6	675	225
711-3M-6	711	237
738-3M-6	738	237
804-3M-6	804	268
843-3M-6	843	281
882-3M-6	882	294
888-3M-6	888	296
1062-3M-6	1062	354
1569-3M-6	1569	523
1587-3M-6	1587	529
570-3M-9	570	190
597-3M-9	597	199
600-3M-9	600	200
606-3M-9	606	202
615-3M-9	615	205
633-3M-9	633	211
669-3M-9	669	223
675-3M-9	675	225
711-3M-9	711	237
738-3M-9	738	237
804-3M-9	804	268
843-3M-9	843	281
882-3M-9	882	294
888-3M-9	888	296
1062-3M-9	1062	354
1569-3M-9	1569	523
1587-3M-9	1587	529

3M CONTINUED PG 64

EXAMPLE SIZING:
Part Number: 711-3M-6
711 = 711 mm Pitch Length 3M = Section & Construction 6 = 6 mm Belt Width
Part Number: 183-3M-9
183 = 183 mm Pitch Length 3M = Section & Construction 9 = 9 mm Belt Width

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.

EXPEDITED SHIPPING: Each OPTIBELT warehouse facility cuts timing belts to width for faster order service.

chanhvinh.com

3M SECTION 3 MM PITCH

OMEGA TIMING

SAMPLE PART # : 300-3M-15

PART NUMBER	PITCH LENGTH (MM)	NO. OF TEETH
111-3M-15	111	37
129-3M-15	129	43
141-3M-15	141	47
144-3M-15	144	48
150-3M-15	150	50
165-3M-15	165	55
168-3M-15	168	56
174-3M-15	174	58
177-3M-15	177	59
180-3M-15	180	60
183-3M-15	183	61
186-3M-15	186	62
192-3M-15	192	64
195-3M-15	195	65
201-3M-15	201	67
204-3M-15	204	68
207-3M-15	207	69
210-3M-15	210	70
213-3M-15	213	71

PART NUMBER	PITCH LENGTH (MM)	NO. OF TEETH
225-3M-15	225	75
240-3M-15	240	80
252-3M-15	252	84
255-3M-15	255	85
267-3M-15	267	89
285-3M-15	285	85
288-3M-15	288	96
291-3M-15	291	97
294-3M-15	294	98
300-3M-15	300	100
312-3M-15	312	104
315-3M-15	315	105
318-3M-15	318	106
330-3M-15	330	110
339-3M-15	339	113
345-3M-15	345	115
357-3M-15	357	119
363-3M-15	363	121
366-3M-15	366	122

PART NUMBER	PITCH LENGTH (MM)	NO. OF TEETH
384-3M-15	384	128
390-3M-15	390	130
420-3M-15	420	140
426-3M-15	426	142
447-3M-15	447	149
462-3M-15	462	154
474-3M-15	474	158
480-3M-15	480	160
486-3M-15	486	162
495-3M-15	495	165
501-3M-15	501	167
513-3M-15	513	171
519-3M-15	519	173
522-3M-15	522	174
525-3M-15	525	175
531-3M-15	531	177
537-3M-15	537	179
558-3M-15	558	186

PART NUMBER	PITCH LENGTH (MM)	NO. OF TEETH
564-3M-15	564	188
570-3M-15	570	190
597-3M-15	597	199
600-3M-15	600	200
606-3M-15	606	202
615-3M-15	615	205
633-3M-15	633	211
669-3M-15	669	223
675-3M-15	675	225
711-3M-15	711	237
738-3M-15	738	237
804-3M-15	804	268
843-3M-15	843	281
882-3M-15	882	294
888-3M-15	888	296
1062-3M-15	1062	354
1569-3M-15	1569	523
1587-3M-15	1587	529

CUT TO SIZE WIDTHS

If you need a custom width timing belt, OPTIBELT has you covered. Each OPTIBELT facility can cut custom widths. This means you don't have to wait for a manufactured factory order. If it is stocked it can ship!

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.

EXPEDITED SHIPPING: Each OPTIBELT warehouse facility cuts timing belts to width for faster order service.

EXAMPLE SIZING:
Part Number: 294-3M-15
294 = 294 mm Pitch Length 3M = Profile & Construction 15 = 15 mm Belt Width
Part Number: 1062-3M-15
1062 = 1062 mm Pitch Length 3M = Profile & Construction 15 = 15 mm Belt Width

chanhvinh.com

SAMPLE PART # : 400-5M-15

OMEGA TIMING

5M SECTION 5 MM PITCH

PART NUMBER	PITCH LENGTH (MM)	NO. OF TEETH
180-5M-9	180	36
225-5M-9	225	45
255-5M-9	255	51
265-5M-9	265	53
270-5M-9	270	54
280-5M-9	280	56
295-5M-9	295	59
305-5M-9	305	61
325-5M-9	325	65
330-5M-9	330	66
340-5M-9	340	68
350-5M-9	350	70
360-5M-9	360	72
365-5M-9	365	73
370-5M-9	370	74
375-5M-9	375	75
385-5M-9	385	77
400-5M-9	400	80
415-5M-9	415	83
425-5M-9	425	85
450-5M-9	450	90
180-5M-15	180	36
225-5M-15	225	45
255-5M-15	255	51
265-5M-15	265	53
270-5M-15	270	54
280-5M-15	280	56
295-5M-15	295	59
305-5M-15	305	61
325-5M-15	325	65
330-5M-15	330	66
340-5M-15	340	68
350-5M-15	350	70
360-5M-15	360	72
365-5M-15	365	73
370-5M-15	370	74
375-5M-15	375	75
385-5M-15	385	77

PART NUMBER	PITCH LENGTH (MM)	NO. OF TEETH
475-5M-9	475	95
490-5M-9	490	98
500-5M-9	500	100
520-5M-9	520	104
525-5M-9	525	105
535-5M-9	535	107
540-5M-9	540	108
550-5M-9	550	110
560-5M-9	560	112
565-5M-9	565	113
575-5M-9	575	115
580-5M-9	580	116
600-5M-9	600	120
610-5M-9	610	122
615-5M-9	615	123
630-5M-9	630	126
635-5M-9	635	127
640-5M-9	640	128
645-5M-9	645	129
665-5M-9	665	133
400-5M-15	400	80
415-5M-15	415	83
425-5M-15	425	85
450-5M-15	450	90
475-5M-15	475	95
490-5M-15	490	98
500-5M-15	500	100
520-5M-15	520	104
525-5M-15	525	105
535-5M-15	535	107
540-5M-15	540	108
550-5M-15	550	110
560-5M-15	560	112
565-5M-15	565	113
575-5M-15	575	115
580-5M-15	580	116
600-5M-15	600	120

PART NUMBER	PITCH LENGTH (MM)	NO. OF TEETH
670-5M-9	670	134
700-5M-9	700	140
710-5M-9	710	142
740-5M-9	740	148
750-5M-9	750	150
755-5M-9	755	151
775-5M-9	775	155
790-5M-9	790	158
800-5M-9	800	160
825-5M-9	825	165
835-5M-9	835	167
850-5M-9	850	170
860-5M-9	860	172
890-5M-9	890	178
900-5M-9	900	180
925-5M-9	925	185
935-5M-9	935	187
950-5M-9	950	190
965-5M-9	965	193
980-5M-9	980	196
610-5M-15	610	122
615-5M-15	615	123
630-5M-15	630	126
635-5M-15	635	127
640-5M-15	640	128
645-5M-15	645	129
665-5M-15	665	133
670-5M-15	670	134
700-5M-15	700	140
710-5M-15	710	142
740-5M-15	740	148
750-5M-15	750	150
755-5M-15	755	151
775-5M-15	775	155
790-5M-15	790	158
800-5M-15	800	160
825-5M-15	825	165

PART NUMBER	PITCH LENGTH (MM)	NO. OF TEETH
1000-5M-9	1000	200
1035-5M-9	1035	207
1050-5M-9	1050	210
1100-5M-9	1100	220
1125-5M-9	1125	225
1135-5M-9	1135	227
1200-5M-9	1200	240
1270-5M-9	1270	254
1420-5M-9	1420	284
1425-5M-9	1425	285
1500-5M-9	1500	300
1595-5M-9	1595	319
1690-5M-9	1690	338
1790-5M-9	1790	358
1870-5M-9	1870	374
1895-5M-9	1895	379
2000-5M-9	2000	400
2110-5M-9	2110	422
2350-5M-9	2350	470
2525-5M-9	2525	505
835-5M-15	835	167
850-5M-15	850	170
860-5M-15	860	172
890-5M-15	890	178
900-5M-15	900	180
925-5M-15	925	185
935-5M-15	935	187
950-5M-15	950	190
965-5M-15	965	193
980-5M-15	980	196
1000-5M-15	1000	200
1035-5M-15	1035	207
1050-5M-15	1050	210
1100-5M-15	1100	220
1125-5M-15	1125	225

5M CONTINUED PG#

EXAMPLE SIZING:
Part Number: 365-5M-9
365 = 365 mm Pitch Length 5M = Profile & Construction 9 = 9 mm Belt Width
Part Number: 800-5M-15
800 = 800 mm Pitch Length 5M = Profile & Construction 15 = 15 mm Belt Width

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.

EXPEDITED SHIPPING: Each OPTIBELT warehouse facility cuts timing belts to width for faster order service.

chanhvinh.com

5M SECTION 5 MM PITCH

OMEGA TIMING

SAMPLE PART # : 1100-5M-25

PART NUMBER	PITCH LENGTH (MM)	NO. OF TEETH
1135-5M-15	1135	227
1200-5M-15	1200	240
1270-5M-15	1270	254
1420-5M-15	1420	284
180-5M-25	180	36
225-5M-25	225	45
255-5M-25	255	51
265-5M-25	265	53
270-5M-25	270	54
280-5M-25	280	56
295-5M-25	295	59
305-5M-25	305	61
325-5M-25	325	65
330-5M-25	330	66
340-5M-25	340	68
350-5M-25	350	70
360-5M-25	360	72
365-5M-25	365	73
370-5M-25	370	74
375-5M-25	375	75
385-5M-25	385	77
400-5M-25	400	80
415-5M-25	415	83
425-5M-25	425	85
450-5M-25	450	90

PART NUMBER	PITCH LENGTH (MM)	NO. OF TEETH
1425-5M-15	1425	285
1500-5M-15	1500	300
1595-5M-15	1595	319
1690-5M-15	1690	338
475-5M-25	475	95
490-5M-25	490	98
500-5M-25	500	100
520-5M-25	520	104
525-5M-25	525	105
535-5M-25	535	107
540-5M-25	540	108
550-5M-25	550	110
560-5M-25	560	112
565-5M-25	565	113
575-5M-25	575	115
580-5M-25	580	116
600-5M-25	600	120
610-5M-25	610	122
615-5M-25	615	123
630-5M-25	630	126
635-5M-25	635	127
640-5M-25	640	128
645-5M-25	645	129
665-5M-25	665	133

PART NUMBER	PITCH LENGTH (MM)	NO. OF TEETH
1790-5M-15	1790	358
1870-5M-15	1870	374
1895-5M-15	1895	379
2000-5M-15	2000	400
670-5M-25	670	134
700-5M-25	700	140
710-5M-25	710	142
740-5M-25	740	148
750-5M-25	750	150
755-5M-25	755	151
775-5M-25	775	155
790-5M-25	790	158
800-5M-25	800	160
825-5M-25	825	165
835-5M-25	835	167
850-5M-25	850	170
860-5M-25	860	172
890-5M-25	890	178
900-5M-25	900	180
925-5M-25	925	185
935-5M-25	935	187
950-5M-25	950	190
965-5M-25	965	193
980-5M-25	980	196

PART NUMBER	PITCH LENGTH (MM)	NO. OF TEETH
2110-5M-15	2110	422
2350-5M-15	2350	470
2525-5M-15	2525	505
1000-5M-25	1000	200
1035-5M-25	1035	207
1050-5M-25	1050	210
1100-5M-25	1100	220
1125-5M-25	1125	225
1135-5M-25	1135	227
1200-5M-25	1200	240
1270-5M-25	1270	254
1420-5M-25	1420	284
1425-5M-25	1425	285
1500-5M-25	1500	300
1595-5M-25	1595	319
1690-5M-25	1690	338
1790-5M-25	1790	358
1870-5M-25	1870	374
1895-5M-25	1895	379
2000-5M-25	2000	400
2110-5M-25	2110	422
2350-5M-25	2350	470
2525-5M-25	2525	505

CUT TO SIZE WIDTHS

If you need a custom width timing belt, OPTIBELT has you covered. Each OPTIBELT facility can cut custom widths. This means you don't have to wait for a manufactured factory order. If it is stocked it can ship!

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.

EXPEDITED SHIPPING: Each OPTIBELT warehouse facility cuts timing belts to width for faster order service.

EXAMPLE SIZING:
Part Number: 294-3M-15
294 = 294 mm Pitch Length 3M = Profile & Construction 15 = 15 mm Belt Width
Part Number: 1062-3M-15
1062 = 1062 mm Pitch Length 3M = Profile & Construction 15 = 15 mm Belt Width

chanhvinh.com

SAMPLE PART # : 880-8M-50

OMEGA TIMING

8M SECTION 8 MM PITCH

PART NUMBER	PITCH LENGTH (MM)	NO. OF TEETH
320-8M-20	320	40
376-8M-20	376	47
424-8M-20	424	53
480-8M-20	480	60
512-8M-20	512	64
520-8M-20	520	65
560-8M-20	560	70
576-8M-20	576	72
600-8M-20	600	75
608-8M-20	608	76
624-8M-20	624	78
632-8M-20	632	79
640-8M-20	640	80
656-8M-20	656	82
680-8M-20	680	85
712-8M-20	712	89
720-8M-20	720	90
760-8M-20	760	95
776-8M-20	776	97
784-8M-20	784	98
800-8M-20	800	100
824-8M-20	824	103
840-8M-20	840	105
848-8M-20	848	106
856-8M-20	856	107
880-8M-20	880	110
896-8M-20	896	112
912-8M-20	912	114
920-8M-20	920	115
960-8M-20	960	120
976-8M-20	976	122
1000-8M-20	1000	125
1040-8M-20	1040	130
1056-8M-20	1056	132
1064-8M-20	1064	133
1080-8M-20	1080	135
1096-8M-20	1096	137
1120-8M-20	1120	140
1128-8M-20	1128	141
1160-8M-20	1160	145
1184-8M-20	1184	148
1200-8M-20	1200	150
1216-8M-20	1216	152
1224-8M-20	1224	153
1248-8M-20	1248	156
1256-8M-20	1256	157
1264-8M-20	1264	158
1280-8M-20	1280	160
1304-8M-20	1304	163
1328-8M-20	1328	166
1344-8M-20	1344	168
1360-8M-20	1360	170
1400-8M-20	1400	175
1424-8M-20	1424	178
1432-8M-20	1432	179
1440-8M-20	1440	180
1520-8M-20	1520	190
1552-8M-20	1552	194
1600-8M-20	1600	200
1680-8M-20	1680	210
1696-8M-20	1696	212
1728-8M-20	1728	216
1760-8M-20	1760	220
1800-8M-20	1800	225
1904-8M-20	1904	238
1936-8M-20	1936	242
2000-8M-20	2000	250
2080-8M-20	2080	260
2104-8M-20	2104	263
2240-8M-20	2240	280
2248-8M-20	2248	281
2272-8M-20	2272	284
2400-8M-20	2400	300
2504-8M-20	2504	313
2600-8M-20	2600	325
2800-8M-20	2800	350
320-8M-30	320	40
376-8M-30	376	47
424-8M-30	424	53
480-8M-30	480	60
512-8M-30	512	64
520-8M-30	520	65
560-8M-30	560	70
576-8M-30	576	72
600-8M-30	600	75
608-8M-30	608	76
624-8M-30	624	78
632-8M-30	632	79
640-8M-30	640	80
656-8M-30	656	82
680-8M-30	680	85
712-8M-30	712	89
720-8M-30	720	90
760-8M-30	760	95
776-8M-30	776	97
784-8M-30	784	98
800-8M-30	800	100
824-8M-30	824	103
840-8M-30	840	105
848-8M-30	848	106
856-8M-30	856	107
880-8M-30	880	110
896-8M-30	896	112
912-8M-30	912	114
920-8M-30	920	115
960-8M-30	960	120
976-8M-30	976	122
1000-8M-30	1000	125
1040-8M-30	1040	130
1056-8M-30	1056	132
1064-8M-30	1064	133
1080-8M-30	1080	135
1096-8M-30	1096	137
1120-8M-30	1120	140
1128-8M-30	1128	141
1160-8M-30	1160	145
1184-8M-30	1184	148
1200-8M-30	1200	150
1216-8M-30	1216	152
1224-8M-30	1224	153
1248-8M-30	1248	156
1256-8M-30	1256	157
1264-8M-30	1264	158
1280-8M-30	1280	160
1304-8M-30	1304	163
1328-8M-30	1328	166
1344-8M-30	1344	168
1360-8M-30	1360	170
1400-8M-30	1400	175
1424-8M-30	1424	178
1432-8M-30	1432	179
1440-8M-30	1440	180
1520-8M-30	1520	190
1552-8M-30	1552	194
1600-8M-30	1600	200
1680-8M-30	1680	210
1696-8M-30	1696	212
1728-8M-30	1728	216
1760-8M-30	1760	220
1800-8M-30	1800	225
1904-8M-30	1904	238
1936-8M-30	1936	242
2000-8M-30	2000	250
2080-8M-30	2080	260
2104-8M-30	2104	263
2240-8M-30	2240	280
2248-8M-30	2248	281
2272-8M-30	2272	284
2400-8M-30	2400	300
2504-8M-30	2504	313
2600-8M-30	2600	325
2800-8M-30	2800	350

8M CONTINUED PG 68

EXAMPLE SIZING:
Part Number: 848-8M-20
848 = 848 mm Pitch Length 8M = Profile & Construction 20 = 20 mm Belt Width
Part Number: 376-8M-30
376 = 376 mm Pitch Length 8M = Profile & Construction 30 = 30 mm Belt Width

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.

EXPEDITED SHIPPING: Each OPTIBELT warehouse facility cuts timing belts to width for faster order service.

chanhvinh.com

8M SECTION 8 MM PITCH

OMEGA TIMING

SAMPLE PART # : 784-8M-85

PART NUMBER	PITCH LENGTH (MM)	NO. OF TEETH
320-8M-50	320	40
376-8M-50	376	47
424-8M-50	424	53
480-8M-50	480	60
512-8M-50	512	64
520-8M-50	520	65
560-8M-50	560	70
576-8M-50	576	72
600-8M-50	600	75
608-8M-50	608	76
624-8M-50	624	78
632-8M-50	632	79
640-8M-50	640	80
656-8M-50	656	82
680-8M-50	680	85
712-8M-50	712	89
720-8M-50	720	90
760-8M-50	760	95
776-8M-50	776	97
320-8M-85	320	40
376-8M-85	376	47
424-8M-85	424	53
480-8M-85	480	60
512-8M-85	512	64
520-8M-85	520	65
560-8M-85	560	70
576-8M-85	576	72
600-8M-85	600	75
608-8M-85	608	76
624-8M-85	624	78
632-8M-85	632	79
640-8M-85	640	80
656-8M-85	656	82
680-8M-85	680	85
712-8M-85	712	89
720-8M-85	720	90
760-8M-85	760	95
776-8M-85	776	97

PART NUMBER	PITCH LENGTH (MM)	NO. OF TEETH
784-8M-50	784	98
800-8M-50	800	100
824-8M-50	824	103
840-8M-50	840	105
848-8M-50	848	106
856-8M-50	856	107
880-8M-50	880	110
896-8M-50	896	112
912-8M-50	912	114
920-8M-50	920	115
960-8M-50	960	120
976-8M-50	976	122
1000-8M-50	1000	125
1040-8M-50	1040	130
1056-8M-50	1056	132
1064-8M-50	1064	133
1080-8M-50	1080	135
1096-8M-50	1096	137
1120-8M-50	1120	140
784-8M-85	784	98
800-8M-85	800	100
824-8M-85	824	103
840-8M-85	840	105
848-8M-85	848	106
856-8M-85	856	107
880-8M-85	880	110
896-8M-85	896	112
912-8M-85	912	114
920-8M-85	920	115
960-8M-85	960	120
976-8M-85	976	122
1000-8M-85	1000	125
1040-8M-85	1040	130
1056-8M-85	1056	132
1064-8M-85	1064	133
1080-8M-85	1080	135
1096-8M-85	1096	137
1120-8M-85	1120	140

PART NUMBER	PITCH LENGTH (MM)	NO. OF TEETH
1128-8M-50	1128	141
1160-8M-50	1160	145
1184-8M-50	1184	148
1200-8M-50	1200	150
1216-8M-50	1216	152
1224-8M-50	1224	153
1248-8M-50	1248	156
1256-8M-50	1256	157
1264-8M-50	1264	158
1280-8M-50	1280	160
1304-8M-50	1304	163
1328-8M-50	1328	166
1344-8M-50	1344	168
1360-8M-50	1360	170
1400-8M-50	1400	175
1424-8M-50	1424	178
1432-8M-50	1432	179
1440-8M-50	1440	180
1520-8M-50	1520	190
1128-8M-85	1128	141
1160-8M-85	1160	145
1184-8M-85	1184	148
1200-8M-85	1200	150
1216-8M-85	1216	152
1224-8M-85	1224	153
1248-8M-85	1248	156
1256-8M-85	1256	157
1264-8M-85	1264	158
1280-8M-85	1280	160
1304-8M-85	1304	163
1328-8M-85	1328	166
1344-8M-85	1344	168
1360-8M-85	1360	170
1400-8M-85	1400	175
1424-8M-85	1424	178
1432-8M-85	1432	179
1440-8M-85	1440	180
1520-8M-85	1520	190

PART NUMBER	PITCH LENGTH (MM)	NO. OF TEETH
1552-8M-50	1552	194
1600-8M-50	1600	200
1680-8M-50	1680	210
1696-8M-50	1696	212
1728-8M-50	1728	216
1760-8M-50	1760	220
1800-8M-50	1800	225
1904-8M-50	1904	238
1936-8M-50	1936	242
2000-8M-50	2000	250
2080-8M-50	2080	260
2104-8M-50	2104	263
2240-8M-50	2240	280
2248-8M-50	2248	281
2272-8M-50	2272	284
2400-8M-50	2400	300
2504-8M-50	2504	313
2600-8M-50	2600	325
2800-8M-50	2800	350
1552-8M-85	1552	194
1600-8M-85	1600	200
1680-8M-85	1680	210
1696-8M-85	1696	212
1728-8M-85	1728	216
1760-8M-85	1760	220
1800-8M-85	1800	225
1904-8M-85	1904	238
1936-8M-85	1936	242
2000-8M-85	2000	250
2080-8M-85	2080	260
2104-8M-85	2104	263
2240-8M-85	2240	280
2248-8M-85	2248	281
2272-8M-85	2272	284
2400-8M-85	2400	300
2504-8M-85	2504	313
2600-8M-85	2600	325
2800-8M-85	2800	350

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.

EXPEDITED SHIPPING: Each OPTIBELT warehouse facility cuts timing belts to width for faster order service.

EXAMPLE SIZING:
Part Number: 1256-8M-50
1256 = 1256 mm Pitch Length 8M = Profile & Construction 50 = 50 mm Belt Width
Part Number: 2080-8M-85
2080 = 2080 mm Pitch Length 8M = Profile & Construction 50 = 50 mm Belt Width

chanhvinh.com

SAMPLE PART # : 1778-14M-115

OMEGA TIMING

14M SECTION 14 MM PITCH

PART NUMBER	PITCH LENGTH (MM)	NO. OF TEETH
924-14M-40	924	66
966-14M-40	966	69
1092-14M-40	1092	78
1190-14M-40	1190	85
1400-14M-40	1400	100
924-14M-55	924	66
966-14M-55	966	69
1092-14M-55	1092	78
1190-14M-55	1190	85
1400-14M-55	1400	100
924-14M-85	924	66
966-14M-85	966	69
1092-14M-85	1092	78
1190-14M-85	1190	85
1400-14M-85	1400	100
924-14M-115	924	66
966-14M-115	966	69
1092-14M-115	1092	78
1190-14M-115	1190	85
1400-14M-115	1400	100
924-14M-170	924	66
966-14M-170	966	69
1092-14M-170	1092	78
1190-14M-170	1190	85
1400-14M-170	1400	100

PART NUMBER	PITCH LENGTH (MM)	NO. OF TEETH
1610-14M-40	1610	115
1778-14M-40	1778	127
1890-14M-40	1890	135
2100-14M-40	2100	150
2310-14M-40	2310	165
1610-14M-55	1610	115
1778-14M-55	1778	127
1890-14M-55	1890	135
2100-14M-55	2100	150
2310-14M-55	2310	165
1610-14M-85	1610	115
1778-14M-85	1778	127
1890-14M-85	1890	135
2100-14M-85	2100	150
2310-14M-85	2310	165
1610-14M-115	1610	115
1778-14M-115	1778	127
1890-14M-115	1890	135
2100-14M-115	2100	150
2310-14M-115	2310	165
1610-14M-170	1610	115
1778-14M-170	1778	127
1890-14M-170	1890	135
2100-14M-170	2100	150
2310-14M-170	2310	165

PART NUMBER	PITCH LENGTH (MM)	NO. OF TEETH
2450-14M-40	2450	175
2590-14M-40	2590	185
2800-14M-40	2800	200
3150-14M-40	3150	225
3500-14M-40	3500	250
2450-14M-55	2450	175
2590-14M-55	2590	185
2800-14M-55	2800	200
3150-14M-55	3150	225
3500-14M-55	3500	250
2450-14M-85	2450	175
2590-14M-85	2590	185
2800-14M-85	2800	200
3150-14M-85	3150	225
3500-14M-85	3500	250
2450-14M-115	2450	175
2590-14M-115	2590	185
2800-14M-115	2800	200
3150-14M-115	3150	225
3500-14M-115	3500	250
2450-14M-170	2450	175
2590-14M-170	2590	185
2800-14M-170	2800	200
3150-14M-170	3150	225
3500-14M-170	3500	250

PART NUMBER	PITCH LENGTH (MM)	NO. OF TEETH
3850-14M-40	3850	275
4004-14M-40	4004	286
4326-14M-40	4326	309
4578-14M-40	4578	327
3850-14M-55	3850	275
4004-14M-55	4004	286
4326-14M-55	4326	309
4578-14M-55	4578	327
3850-14M-85	3850	275
4004-14M-85	4004	286
4326-14M-85	4326	309
4578-14M-85	4578	327
3850-14M-115	3850	275
4004-14M-115	4004	286
4326-14M-115	4326	309
4578-14M-115	4578	327
3850-14M-170	3850	275
4004-14M-170	4004	286
4326-14M-170	4326	309
4578-14M-170	4578	327

CUT TO SIZE WIDTHS

If you need a custom width timing belt, OPTIBELT has you covered. Each OPTIBELT facility can cut custom widths. This means you don't have to wait for a manufactured factory order. If it is stocked it can ship!

EXAMPLE SIZING:
Part Number: 1778-14M-40
1778 = 1778 mm Pitch Length 14M = Profile & Construction 40 = 40 mm Belt Width
Part Number: 3850-14M-115
3850 = 3850 mm Pitch Length 14M = Profile & Construction 115 = 115 mm Belt Width

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.

EXPEDITED SHIPPING: Each OPTIBELT warehouse facility cuts timing belts to width for faster order service.