chanhvinh.com

ALU-SB - Shielding foil

1404531

https://www.phoenixcontact.com/gb/products/1404531

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Shielding foil, for fixing the braided shield of shielded cables. Length: 4 cm, width: 1.2 cm



Commercial data

Item number	1404531
Packing unit	100 pc
Minimum order quantity	100 pc
Sales key	AF6ZWX
Product key	AF6ZWX
Catalog page	Page 480 (C-2-2019)
GTIN	4046356698733
Weight per piece (including packing)	0.251 g
Weight per piece (excluding packing)	0.218 g
Customs tariff number	74102100
Country of origin	DE

chanhvinh.com

ALU-SB - Shielding foil

1404531


https://www.phoenixcontact.com/gb/products/1404531

Technical data

Product properties

Product type	Shield connection

Dimensions

Dimensional drawing	
Width	12 mm
Length	40 mm

Material specifications

Material	Copper, tin-plated

chanhvinh.com


ALU-SB - Shielding foil

1404531

https://www.phoenixcontact.com/gb/products/1404531

Drawings

Dimensional drawing



chanhvinh.com

ALU-SB - Shielding foil

1404531

https://www.phoenixcontact.com/gb/products/1404531

Classifications

ECLASS

ECLASS-13.0	27440192

ETIM

ETIM 9.0	EC002943

UNSPSC

UNSPSC 21.0	39121400

chanhvinh.com

ALU-SB - Shielding foil

1404531

https://www.phoenixcontact.com/gb/products/1404531

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions

China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%

EF3.0 Climate Change

CO2e kg	0.007 kg CO2e

Phoenix Contact 2025 © - all rights reserved
https://www.phoenixcontact.com

PHOENIX CONTACT Ltd
Halesfield 13, Telford
Shropshire, TF7 4PG
01952 681700
info@phoenixcontact.co.uk