chanhvinh.com

CT 10-2/2-GS/3E - Magazine

2765408

https://www.phoenixcontact.com/gb/products/2765408

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Coarse protection card cage CT, for holding 10 three-electrode gas-filled surge arresters, unequipped. Version: 10 double conductors

Your advantages

- Space-saving due to compact design
- Flexible fields of application with modular protective plug
- Can be used in LSA-PLUS disconnect and control strips or CT-TERMIBLOCK via adapted connection technology

Commercial data

Item number	2765408
Packing unit	5 pc
Minimum order quantity	1 pc
Sales key	CL3212
Product key	CL3212
Catalog page	Page 192 (C-4-2019)
GTIN	4017918066307
Weight per piece (including packing)	49.45 g
Weight per piece (excluding packing)	48 g
Customs tariff number	85389099
Country of origin	DE

chanhvinh.com

CT 10-2/2-GS/3E - Magazine

2765408

https://www.phoenixcontact.com/gb/products/2765408

Technical data


Product properties

Product type	Plug magazine
Product family	COMTRAB
Type	LSA-PLUS module
Number of positions	20
Surge protection fault message	none
Arrester can be tested with CHECKMASTER from software version:	From SW rev. 1.00
Wire pairs per module	10

Connection data

Connection method	can be plugged into COMTRAB-TERMIBLOCK and LSA-PLUS disconnect and switching strips

Dimensions

Dimensional drawing	
Width	113.3 mm
Height	22.5 mm
Depth	41.35 mm

Material specifications

Color	white (RAL 9010)

Mechanical properties

Mechanical data

Open side panel	No

Protective circuit

Direction of action	Line-Line & Line-Earth Ground
Surge protection fault message	none

Mounting

Mounting type	On CT-TERMIBLOCK and LSA-PLUS disconnect strip

chanhvinh.com


CT 10-2/2-GS/3E - Magazine

2765408


https://www.phoenixcontact.com/gb/products/2765408

Drawings

Circuit diagram



Dimensional drawing



chanhvinh.com

CT 10-2/2-GS/3E - Magazine

2765408

https://www.phoenixcontact.com/gb/products/2765408

Approvals

To download certificates, visit the product detail page: https://www.phoenixcontact.com/gb/products/2765408

EAC
Approval ID: RU C-DE.*09.B.00169

chanhvinh.com

CT 10-2/2-GS/3E - Magazine

2765408

https://www.phoenixcontact.com/gb/products/2765408

Classifications

ECLASS

ECLASS-11.0	27130803
ECLASS-13.0	27171503

ETIM

ETIM 9.0	EC001466

UNSPSC

UNSPSC 21.0	39121600

chanhvinh.com

CT 10-2/2-GS/3E - Magazine

2765408

https://www.phoenixcontact.com/gb/products/2765408

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions

China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%

chanhvinh.com

CT 10-2/2-GS/3E - Magazine

2765408


https://www.phoenixcontact.com/gb/products/2765408

Mandatory accessories

CT 10-TL - Disconnect strip

2765356

https://www.phoenixcontact.com/gb/products/2765356



LSA-PLUS disconnect strip to hold the CTM and CT 10 protection modules.
Version: 10 double conductors, dimension A: 124 mm.

SVP 3E-110AC - Gas discharge tube

2765521

https://www.phoenixcontact.com/gb/products/2765521



3-electrode gas-filled surge arrester, nominal voltage: 110 V AC

Accessories

chanhvinh.com

CT 10-2/2-GS/3E - Magazine

2765408

https://www.phoenixcontact.com/gb/products/2765408

SSA 3-6 - Shield connection

2839295

https://www.phoenixcontact.com/gb/products/2839295



Shield fast connection for 3 ... 6 mm cable diameter. Potential connecting cable: 200 mm, 1 mm^2, color: black

SSA 5-10 - Shield connection

2839512

https://www.phoenixcontact.com/gb/products/2839512



Shield fast connection for 5 ... 10 mm cable diameter. Potential connecting cable: 200 mm, 1 mm^2, color: black

Phoenix Contact 2024 © - all rights reserved
https://www.phoenixcontact.com

PHOENIX CONTACT Ltd
Halesfield 13, Telford
Shropshire, TF7 4PG
01952 681700
info@phoenixcontact.co.uk