chanhvinh.com

MPB 18/1- 4 - Wiring bridge

2809225

https://www.phoenixcontact.com/gb/products/2809225

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Wiring bridge for modules with connecting pitch 17.5 mm, 1-phase, 4-pos.

Your advantages

- In combination with other devices in the distribution board, such as residual current devices and miniature circuit breakers
- Practical wiring of all common applications
- For combinations of lightning and surge arresters

Commercial data

Item number	2809225
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	CL132Z
Product key	CL132Z
Catalog page	Page 101 (C-4-2019)
GTIN	4017918076290
Weight per piece (including packing)	19.13 g
Weight per piece (excluding packing)	19.13 g
Customs tariff number	85369095
Country of origin	DE

chanhvinh.com

MPB 18/1- 4 - Wiring bridge

2809225

https://www.phoenixcontact.com/gb/products/2809225

Technical data


Product properties

Product type	Bridge
Type	Comb bridge
Number of positions	4

Electrical properties

Number of phases	1
Nominal current I_N	100 A

Dimensions

Dimensional drawing	
Height	73 mm

Material specifications

Color	gray (RAL 7042)
	Copper
Housing material	Plastic
Contact material	E-Cu 58

chanhvinh.com


MPB 18/1- 4 - Wiring bridge

2809225

https://www.phoenixcontact.com/gb/products/2809225

Drawings

Dimensional drawing



chanhvinh.com

MPB 18/1- 4 - Wiring bridge

2809225

https://www.phoenixcontact.com/gb/products/2809225

Classifications

ECLASS

ECLASS-11.0	27371306
ECLASS-12.0	27371306
ECLASS-13.0	27371306

ETIM

ETIM 9.0	EC000215

UNSPSC

UNSPSC 21.0	39121600

chanhvinh.com

MPB 18/1- 4 - Wiring bridge

2809225

https://www.phoenixcontact.com/gb/products/2809225

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions

China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%

chanhvinh.com

MPB 18/1- 4 - Wiring bridge

2809225

https://www.phoenixcontact.com/gb/products/2809225

Accessories

CUTFOX-FBS - Front cutter

1212124

https://www.phoenixcontact.com/gb/products/1212124



Cutting tool, for separating individual jumper bars from FBS ... plug-in bridges and EB ... insertion bridges

CUTFOX 25 VDE - Cable-cutting tool

1212127

https://www.phoenixcontact.com/gb/products/1212127



Cable cutter, precision blade with macro-notching, for copper and aluminum up to 70 mm^2, VDE 1000 V AC/ 1500 V DC tested

Phoenix Contact 2024 © - all rights reserved
https://www.phoenixcontact.com

PHOENIX CONTACT Ltd
Halesfield 13, Telford
Shropshire, TF7 4PG
01952 681700
info@phoenixcontact.co.uk