chanhvinh.com

FEATURES

- UL approved Nylon 66 94V-2.
- Color: Black, other special colors are available upon request.
- Feature: Low Smoke and Halogen Free cable tie suitable for various industry, also household DIY and gardening.
- Easily assembled by hand or with pliers, remain securely locked until intentionally released by operating the finger catch.

RS PRO Releasable Cable Tie

RS Stock No.: 2243180



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Releasable Cable Ties

Product Description
ATTRIBUTE 1

- Material: UL approved Nylon 66, 94V-2.
- Color: Black, other special colors are available upon request.
- Feature: Low Smoke and Halogen Free cable tie suitable for various industry, also household DIY and gardening.
- Easily assembled by hand or with pliers, remain securely locked until intentionally released by operating the finger catch.

General Specifications

Series	Releasable Cable tie
Type	Releasable
Colour	Black
Material	Nylon 66
Finish	
Application	
Resistant To	
UV Resistant	NO
Minimum Operating Temperature	-40°C
Maximum Operating Temperature	85°C
Fire Behaviour	Self-Extinguishing
Quantity	100

Mechanical Specifications

Length	200mm(8")
Width	7.6mm
Tensile Strength	50lbs/22kgs
Max. Bundle Dia.	50mm
Thickness	1.3±0.25mm

Releasable Cable Ties

Protection Category

IP Rating	

Classification

eCl@ss (10.0.1)	
UNSPSC (6.01)	

Approvals

Declarations	
Standards Met	UL, DNV, RoHS, SVHC, HF, ABS

Similar Products

Stock No.	Brand	Product Name	Colour	Material	Tensile strength
811-1600	**RS**	Releasable Cable Tie	Black	Nylon66	50lbs/22kgs
811-1619	**RS**	Releasable Cable Tie	Black	Nylon66	50lbs/22kgs

