chanhvinh.com

FEATURES

- All fluids usable in aggressive environment
- Mechanical resistance
- Silicon free

RS PRO MALE SOCKET INOX SHORT 1/2

RS Stock No:- 2312687



RS PROfessionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

chanhvinh.com

Pneumatic Quick Connect Couplings

Product Description

The RS PRO male socket inox short 1/2 works in 0 to 16 bar pressure range. It mainly used in compressed air & tools, pneumatic & fluid technology, food & beverages applications.
It provides high performance for multiple fluids in a wide range of temperature and pressure.
Operating temperature range is from - 15 °C to + 200 °C.
RoHS and REACH compliant.

General Specifications

Material	Steel
Applications	Lubrication System, Cooling System, Pneumatic Machinery Equipment


Mechanical Specifications

Connection Type	Tube
Tube Connection Size	9
Coupling Gender	Male
Threaded Connection	1/2 in Male
Thread Size	1/2in
Hose Barb Connection	4mm
Wrench Size	21
Length	52mm

Pneumatic Quick Connect Couplings

Similar Products

Parameters	2312521	2312522
Brand	**RS PRO**	**RS PRO**
Connection Type	Threaded, Tube	Threaded, Tube
Tube Connection Size	9mm	10mm
Coupling Gender	Male	Male
Threaded Connection	3/8 in Male	1/2 in Male
Thread Size	3/8in	1/2in
Hose Barb Connection	30.5mm	25Hex
Wrench Size	20Hex	54mm



A	B	C	D	CH	Pack.
1/2	9	52	24	21	2