chanhvinh.com

Internal

FEATURES

- Designed for enhanced filtering
- Two-stage filter
- Excellent differential and common-mode attenuation

RS PRO 30A 250 V ac, Chassis Mount Power Line Filter, Single Phase

RS Stock No.: 237-8716



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

chanhvinh.com

Product Description

- Electrical and electronic equipment
- Medical equipment
- Datacom equipment
- Office automation equipment

Mechanical Specifications

size	92X57X44.5mm (L X W X H)
weight	0.410kgs

Electrical Specifications

Rated Voltage Max.	115/250VAC
Operating frequency	50/60Hz
Rated currents	30A
Hipot Rating	L-N 500VDC L/N-G 2250VDC


Protection Category

according to IEC 60529 **IP40**

Approvals

Declarations	UL;TUV;CQC;CE
Standards Met	UL1283, CSA C22.2 No.8; IEC/EN 60939,; CQC GB 15288/GB 15287-2008


Physical Dimensions:



0 ~ 10	±0.3
10 ~ 100	±0.5
100 ~ 150	±0.8
150 ~ 200	±1.0

Power Line Filters

Electrical Schematic:



Insertion loss table(In 50ohm system according IEC/CISPR No.17)

30A

