chanhvinh.com

Internal

RS PRO Connecting Component, Quick Connector Type, 10 mm Groove Size

RS Stock No.: 2768181

Features

- Standard element for a secure and conductive connection
- For the right-angled connecting of two profiles
- Very good accessibility for tools during assembly
- O-ring for fastening allows overhead assembly
- Quick connectors can be swiveled into the profile slot at the point of assembly



RS PRO is the own brand of RS. The RS PRO Seal of Approval is your assurance of professional quality, a guarantee that every part is rigorously tested, inspected, and audited against demanding standards. Making RS PRO the Smart Choice for our customers.

Connecting Components

Product Description

Easily connect your links with the user-friendly RS PRO connecting component. All you need to do is drill a single 17mm hole in your selected profile, ensuring a streamlined assembly process with minimal finishing required. The swift connector lug smoothly pivots into a compatible 10mm groove, facilitating rapid on-site installation. This unit is particularly convenient for temporary structures, thanks to its threaded mechanism that allows for quick adjustments or effortless deconstruction.

- *Galvanised steel construction tolerates feed forces up to 4000N, so practical for heavy loads*
- *Suitable for use with 40, 45, 50 and 60mm strut profiles for versatility*
- *ESD protected to minimise static discharge*
- *Suitable for construction sites, engineering facilities and food and beverage processing*

General Specifications

Product Family	RS Structural System
Product System	
Structural Element Type	Strut Profile
Connector Type	Quick Connector
Material	Steel
Finish	Galvanised
Applications	It's mostly used for accessories or connections of other profiles

Mechanical Specifications

Fits Groove Size	Slot 10mm
Thread Size	D17
Fits Strut Profile	40 mm, 45 mm, 50 mm, 60 mm

Protection Category

Connecting Components

ESD-capable	Yes

Classification

eCl@ss Version	
UNSPSC Version	

