chanhvinh.com

Ethernet Cables

Features

- Full Copper
- UTP
- PVC
- Snagless
- 24AWG
- ANSI/TIA-568-B.2
- 3P
- Gold Plated Contacts
- ISO/IEC 11801
- CE
- UKCA
- ROHS
- REACH

RS PRO Yellow CAT 5E UTP PVC Snagless Patch Lead 100% Copper

RS Stock No. 2862986, 2862992, 2862999, 2863006, 2863013, 2863020



RS Professionally Approved Products bring to you, professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Ethernet Cables

Product Description

The RS Pro range of CAT5e networking cables run at speeds up to 10/100. The internal conductors are made from 24awg 100% Full copper, have a PVC jacket and the outer diameter is 5.4mm. The connectors are RJ45 (8P8C) and the pins are gold plated to help prevent corrosion.

The wiring uses the TIA/EIA-568B wiring which is standard for most networking uses.

The cables are UL certified to CM(UL) C(UL) CMH E213738.

We have a wide variety of colours and lengths.

General Specifications

Connector A	RJ45 Male
Connector B	RJ45 Male
Length	0.5m up to 10mtr
Outer Sheath Material	PVC
Sheath Colour	Yellow
Shielding	UTP

Approvals

Declarations	CE UKCA REACH ROHS ANS/TIA-568-B.2 3P ISO/IEC 11801
Standards Met	CE UKCA REACH ROHS ANS/TIA-568-B.2 3P ISO/IEC 11801


Similar Products


Stock No.	Length	Spec	Colour
2862986	0.5mtr	CAT 5E UTP PVC	Yellow
2862992	1mtr	CAT 5E UTP PVC	Yellow
2862999	2mtr	CAT 5E UTP PVC	Yellow
2863000Y	3mtr	CAT 5E UTP PVC	Yellow
2863013	5mtr	CAT 5E UTP PVC	Yellow
2863020	10mtr	CAT 5E UTP PVC	Yellow

Also available in our RS PRO range of CAT 5E cables are the colour options:

White, Black, Blue, Green, Red and Grey


Ethernet Cables





Connecting

P1	568B COLOR	P2
1	WH/ORG	1
2	ORG	2
3	WH/GRN	3
4	BLU	4
5	WH/BLU	5
6	GRN	6
7	WH/BWN	7
8	BWN	8



SPECIFICATIONS:

1. CONDUCTOR:
   1.1 CONDUCTORS: PVC 24AWG 125MHZ 7*0.19± 0.015mm
   1.2 CONDUCTOR INSULATION COLOR CODING: ONE WHITE/ORANGE,ONE ORANGE,ONE WHITE/GREEN,ONE BLUE,ONE WHITE/BLUE,ONE GREEN,ONE WHITE/BROWN,INE BROWN.
2. CABLE JACKET
   2.1 PRINTING ON THE JACKET: E213738 CM (UL) C(UL) 4P 24AWG U/UTP CAT5E STRANDED PATCH ISO/IEC 11801 AND ANSI/TIA-568-C.2
   3.1 SEE SECTION A-A FOR DIMENSIONS
   3.2 CABLE TIE: ACCORDING TO CUSTOMER' S REQUEST
   3.3 WIRING T568B
   3.4 CONTACT PLUG: RJ45 8P8C 30u
4. CABLE JACKET COLOR: ACCORDING TO CUSTOMER' S REQUEST
5. LENGTH:2000± 40mm

REMARK NO	CHA.NO	SIGNATURE	DATE	T568B		
DRAWN BY	MORGAN			SIGN	W.T	SCALE
CHECKED BY						
AUDITED BY		APPROVED BY		PAGE OF		
CRAFT		DATE	2009. 10. 26			

UTP CAT5e CABLE 2m

24AWG