chanhvinh.com

Product datasheet

Specifications



Comb busbar, Easy9, 1P+N, 12 modules including 2 modules of incomer, 100 A

SEPNB112

EAN Code: 3606482158719

Main

Range	Easy9
Product or component type	Comb busbar
Mounting mode	Horizontal
Length in 18 mm modules	12
Standards	IEC 61439-3
Product certifications	UKCA

Complementary

Number of ways	Incomer: 2 ways N + L Outgoer: 10 ways N + L
Connection pitch	Outgoer: 9 mm Incomer: 18 mm
Connector type	Pin
Insulation	Insulated
Device presentation	Cuttable
Provided equipment	4 tooth covers 2 end-pieces
[Ie] rated operational current	100 A
[Ue] rated operational voltage	230 V AC
[Ui] rated insulation voltage	500 V
[Uimp] rated impulse withstand voltage	4 kV
Mounting location	Top
Height	253 mm
Width	39.4 mm
Depth	44.2 mm
Product weight	0.1 kg
Colour	White (RAL 9003)

Environment

Fire resistance	960 °C

Packing Units

Unit Type of Package 1	PCE

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

chanhvinh.com

Number of Units in Package 1	1
Package 1 Height	2.500 cm
Package 1 Width	3.500 cm
Package 1 Length	22.000 cm
Package 1 Weight	108.000 g
Unit Type of Package 2	S02
Number of Units in Package 2	32
Package 2 Height	15.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	4.178 kg
Unit Type of Package 3	P06
Number of Units in Package 3	512
Package 3 Height	75.000 cm
Package 3 Width	80.000 cm
Package 3 Length	60.000 cm
Package 3 Weight	76.848 kg

Logistical informations

Country of origin	CN

Contractual warranty

Warranty	18 months

chanhvinh.com

chanhvinh.com

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	1
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Recycled metal content at CR level	0
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACh Regulation	REACh Declaration

Use Again

Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	No