chanhvinh.com

SIEMENS

Data sheet 5TT1011



DELTA i-system Time switch runtime 15min 250 V 16 A 2-pole can be switched off for screw mounting titanium white, 55x 55 mm

Model	
product brand name	SENTRON
design of the switching function	off 2-pole
type of composition	basic element with central cover plates
General technical data	
surface processing	other
material	thermoset
operating voltage rated value	250 V
Protection class	
protection class IP	IP20
Switching capacity	
switching capacity current	16 A
Dissipation	
power loss [W] for rated value of the current at AC in hot operating state per pole	3 500 W
Main circuit	
operational current rated value	16 A
Adjustable parameters	
adjustable time	
• initial value	0.5 min
• full-scale value	15 min
Appearance	
appearance	polished
RAL color number	RAL 9010
color	white
Product details	
number of NC contacts	0
number of NO contacts	2
number of CO contacts	0
product feature	
• halogen-free	Yes
• transparent	No
Mechanical Design	
fastening method	Unterputz
net weight	173 g
material of the enclosure	plastic
Approvals Certificates	

General Product Approval	Declaration of Conformity	other	Environment

Subject to change without notice
© Copyright Siemens

Confirmation | Confirmation | Miscellaneous | Environmental Confirmations

Further information

Siemens has decided to exit the Russian market (see here).
https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.
Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,…)
http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TT1011

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/5TT1011

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TT1011

CAx-Online-Generator
http://www.siemens.com/cax

Tender specifications
http://www.siemens.com/specifications

last modified: 4/20/2023

Subject to change without notice
© Copyright Siemens

chanhvinh.com

Subject to change without notice
© Copyright Siemens