chanhvinh.com

SIEMENS

Data sheet 8GK9733-0KK50

ALPHA copper busbar 320 A 20 x 5 mm, 320 A, W = 1250

Model	
product brand name	ALPHA
product designation	CU busbar
design of the product	20x5 mm, 320 A, W=1250
busbar design	others
General technical data	
surface processing tin-plated	No
Main circuit	
operational current rated value	320 A
Product details	
product feature flexible	No
Mechanical Design	
width	20 mm
length	1 241 mm
thickness of busbar	5 mm
material of the busbar	Cu

Approvals Certificates

General Product Approval				Test Certificates	
	EG-Konf.	VDE		Special Test Certific-ate	Type Test Certific-ates/Test Report

other		Environment	
Miscellaneous	Confirmation	Environmental Con-firmations	Environmental Con-firmations

Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information- and Downloadcenter (Catalogs, Brochures,…)
http://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK9733-0KK50
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/8GK9733-0KK50
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK9733-0KK50

Subject to change without notice
© Copyright Siemens

chanhvinh.com

CAx-Online-Generator
http://www.siemens.com/cax
Tender specifications
http://www.siemens.com/specifications

last modified: 5/26/2025

Subject to change without notice
© Copyright Siemens

chanhvinh.com

Subject to change without notice
© Copyright Siemens