chanhvinh.com

SIEMENS

Data sheet BVP:262485

BD2-AK03M2/A1253 TAP-OFF UNIT 125A / 1X 3POLE MC B 125A C-CHAR.




Figure similar

Model	
product designation	tap-off unit for BD2 busbar trunking system
operating voltage at AC	
● at 50 Hz rated value maximum	400 V
● at 60 Hz rated value maximum	400 V
Protection class	
protection class IP	IP54
Main circuit	
operating frequency rated value	
● minimum	50 Hz
● maximum	60 Hz
operational current	
● for circuit 1 at AC at 50 Hz rated value maximum	125 A
● for circuit 1 at AC at 60 Hz rated value maximum	125 A
Connections	
connectable conductor cross-section in the outgoing unit	
● minimum	0.75 mm²
Tap-off points	
outgoing unit version	cable entry
design of short-circuit and overloading protection in the outgoing unit	three 1-pole 125 A miniature circuit-breaker
size of the outgoing unit	03
number of poles of the outgoing unit	5
Mechanical Design	
height	160 mm
width	214 mm
length	431 mm
number of modular width units	8
product component locking mechanism	Yes
Approvals Certificates	
Declaration of Conformity	

CE
EG-Konf.

Further information

Siemens has decided to exit the Russian market (see here).

Subject to change without notice
© Copyright Siemens

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.
Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,…)
http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=BVP:262485

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/BVP:262485

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=BVP:262485

CAx-Online-Generator
http://www.siemens.com/cax

Tender specifications
http://www.siemens.com/specifications

---

last modified: 7/1/2021

Subject to change without notice
© Copyright Siemens

chanhvinh.com

Subject to change without notice
© Copyright Siemens