
chanhvinh.com

Expertise – Passion – Automation



# KK*S-*H, S-Couplers, Straight Type with One-touch Fitting

## KK4S-06H

Datasheet

- Straight Type with One-touch Fitting.
- Body size: M5, 1/8, 1/4, 1/2.
- Applicable Tubing O.D.: ø3.2, ø4, ø6, ø8, ø10, ø12, ø16.

## Standard specifications

| | |
|---|---|
| Body Size | 4 (1/4) |
| Applicable Tubing O.D. | Ø6 mm |
| Pressure medium | Air, Water |
| Maximum operating pressure | 1.0 MPa |
| Minimum operating pressure | 0 kPa |
| Proof pressure | 1.5 MPa |
| Maximum ambient temperature | 60 °C / 40 °C for Water |
| Minimum ambient temperature | -5 °C (with no freezing) / 5 °C for Water |
| Effective Area | 39 mm² |
| Sealing principle | Electroless nickel plated (copper-free application), With male thread sealant |
| Weight | 0.048 Kg |

Specifications are subject to change without prior notice and any obligation on the part of the manufacturer.





SMC CORPORATION Zuazobidea 14, 01012, Vitoria-Gasteiz, Álava +34 945184100 +34 945184126 www.smc.eu emcmarketing@smc.smces.es


chanhvinh.com



# Dimensions








Specifications are subject to change without prior notice and any obligation on the part of the manufacturer.



**SMC CORPORATION** Zuazobidea 14, 01012, Vitoria-Gasteiz, Álava +34 945184100 +34 945184126 www.smc.eu emcmarketing@smc.smces.es

chanhvinh.com



## Additional information

Catalogue KK-C_EU.pdf

Specifications are subject to change without prior notice and any obligation on the part of the manufacturer.



**SMC CORPORATION** Zuazobidea 14, 01012, Vitoria-Gasteiz, Álava +34 945184100 +34 945184126 www.smc.eu emcmarketing@smc.smces.es