chanhvinh.com

216028-000 ✔ ACTIVE


Raychem

TE Internal #: 216028-000

Hook Up Wire, Spec 55, 600V Hook Up Wire Voltage Rating, 24AWG Wire Size, Red Hook Up Wire Wire Color, Operating Temperature Range -65 – 150 °C

View on TE.com >

Wire & Cable > Hook Up Wire



Hook Up Wire Cable Type: **Spec 55**

Hook Up Wire Voltage Rating: **600 V**

Hook Up Wire Insulation Material: **Modified Radiation Cross-linked ETFE Polymer**

Hook Up Wire Conductor Material: **Tin-Coated Copper**

Hook Up Wire Wire Color: **Red**

Features

Product Type Features

Cable Style	Primary
Product Type	Cable, Wire
Product Classification	Cable - High Performance - Spec 44, 55 & RCW
Hook Up Wire Cable Type	Spec 55

Configuration Features

Number of Conductors	1
Number of Strands	19

Electrical Characteristics

Hook Up Wire Voltage Rating	600 V

Body Features

Hook Up Wire Insulation Material	Modified Radiation Cross-linked ETFE Polymer
Hook Up Wire Conductor Material	Tin-Coated Copper
Hook Up Wire Wire Color	Red

Dimensions

Overall Outside Diameter	.94 mm[.037 in]
Wire Diameter	.94 mm[.037 in]

chanhvinh.com

216028-000

Hook Up Wire, Spec 55, 600V Hook Up Wire Voltage Rating, 24AWG Wire Size, Red Hook Up Wire Wire Color, Operating Temperature Range -65 – 150 °C

Conductor Diameter	.64 mm[.025 in]
	.005 in
Strand Size	36 AWG
Wire Size	24 AWG

Usage Conditions

Operating Temperature Range	-65 – 150 °C

Other

Wire Source	United Kingdom, United States

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JUN 2020 (209) Does not contain REACH SVHC
Halogen Content	Out of Scope - excluded from Halogen requirements
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

chanhvinh.com

216028-000

Hook Up Wire, Spec 55, 600V Hook Up Wire Voltage Rating, 24AWG Wire Size, Red Hook Up Wire Wire Color, Operating Temperature Range -65 – 150 °C




TE Part # 650074-000
D-436-36

Customers Also Bought



TE Part #090695-000
0026A0024-9X




TE Part #316003-000
55A0121-22-2/6



TE Part #316019-000
55A0121-24-2/6




TE Part #007435-000
TXR40AB00-2016BI




TE Part #216046-006
55A0111-24-0



TE Part #331006-005
55A1111-24-9-9




TE Part #316068-003
55A0121-22-0/9



TE Part #216030-000
55A0111-24-6



TE Part #2160193001
55A0111-14-6



TE Part #216075-000
55A0111-24-5

Documents

Product Drawings

55A0111-24-2

English

Datasheets & Catalog Pages

1654025_Sec9_SPEC55

English

Raychem Wire and Cable Quick Reference Guide

English

chanhvinh.com

216028-000

Hook Up Wire, Spec 55, 600V Hook Up Wire Voltage Rating, 24AWG Wire Size, Red Hook Up Wire Wire Color, Operating Temperature Range -65 – 150 °C

Product Specifications

Product Specification

English

chanhvinh.com