
chanhvinh.com

Data Sheet | Item Number: 790-190

U-shaped busbar; Cu 10 mm x 3 mm; for 5 I/O; suitable for 750 Series I/O modules; silver-colored

https://www.wago.com/790-190





Color: silver-colored

Technical data

Main product function	Shield termination

Material data

Color	silver-colored
Fire load	0 MJ
Weight	50.5 g

Commercial data

Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-14-11-46
eCl@ss 9.0	27-14-11-46
ETIM 8.0	EC001522
ETIM 7.0	EC001522
PU (SPU)	25 (5) pcs
Packaging type	Box
Country of origin	DE
GTIN	4045454229764
Customs tariff number	74071000000

Environmental Product Compliance

RoHS Compliance Status	Compliant,No Exemption

chanhvinh.com

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 790-190

Documentation

Bid Text

790-190	19.02.2019	xml 2.60 KB
790-190	28.11.2018	doc 23.00 KB

CAD/CAE-Data

CAD data

2D/3D Models 790-190

CAE data

EPLAN Data Portal 790-190

WSCAD Universe 790-190

ZUKEN Portal 790-190

1 Compatible Products

1.1 Optional Accessories

1.1.1 Shield termination

1.1.1.1 Shield clamping saddles



Item No.: 790-108
Shield clamping saddle; 11 mm wide; diameter of compatible conductor; 3 … 8 mm



Item No.: 790-208
Shield clamping saddle; 12.4 mm wide; 3 … 8 mm



Item No.: 790-116
Shield clamping saddle; 19 mm wide; diameter of compatible conductor; 7 … 16 mm



Item No.: 790-216
Shield clamping saddle; 21.8 mm wide; 6 … 16 mm



Item No.: 790-124
Shield clamping saddle; 27 mm wide; diameter of compatible conductor; 6 … 24 mm




Item No.: 790-220
Shield clamping saddle; 30 mm wide; 6 … 20 mm



Item No.: 790-140
Shield clamping saddle; diameter of compatible conductor

chanhvinh.com

Installation Notes



U-shaped (10 x 3) mm copper busbar

chanhvinh.com