chanhvinh.com

Spezifikation für Freigabe / specification for release

Kunde / customer :

Artikelnummer / part number : **7498010210A**

Bezeichnung : **LAN-Übertrager WE-RJ45LAN 10/100BaseT**


description : **LAN-Transformer WE-RJ45LAN 10/100BaseT**

compliant RoHS WÜRTH ELEKTRONIK


WÜRTH ELEKTRONIK

DATUM / DATE : 2014-12-17

A Mechanische Abmessungen / dimensions :




B Lötpad / soldering spec. :



C Elektrische Eigenschaften / electrical properties :

Eigenschaften / properties	Testbedingungen / test conditions		Wert / value	Einheit / unit	tol.
Induktivität / Inductance	**100kHz / 100mV @ 8mA DC-Bias**	OCL	**350**	µH	**min.**
Übersetzungsverhältnis / Turns ratio	**100kHz / 100mV**	TR	**1 : 1**	Tx	
			1 : 1	Rx	
Insertion Loss	**1-100MHz**	IL	**-1,0**	dB	**max.**
Return Loss	**1-10MHz @ 100Ω**	RL	**-20**	dB	**min.**
	30MHz @ 100Ω		**-16**		
	60-80MHz @ 100Ω		**-12**		
Common Mode Rejection	**1-50MHz**	CMR	**-30**	dB	**min.**
	50-130MHz		**-20**		
Crosstalk	**1-10MHz**	CT	**-40**	dB	**min.**
	30-60MHz		**-35**		
	60-100MHz		**-30**		



D Prüfgeräte / test equipment :

HP4395A

E Testbedingungen / test conditions :

Luftfeuchtigkeit / humidity:	33%
Umgebungstemperatur / temperature:	+25°C

F Werkstoffe & Zulassungen / material & approvals :

Basismaterial / base material:	Ferrit/ ferrite
Draht / wire:	UEW 155°C
Kontaktmaterial/ contact plating:	100% tin w. nickel underpalting 30µ"gold plating on contact area
Gehäuse / housing	Thermoplastic UL-94V0
LED	1,8-2,8 V/ 20mA
Shield	50µ" nickel over 0.01" cooper alloy

G Eigenschaften / general specifications :

Betriebstemp. / operating temperature: -40°C - + 85°C

Hochspannungsprüfung / Hipot test (all pins => contact fingers): 2250VDC 1min.

Geeignet für 10/100Base-TX gemäß IEEE 802.3u /

Compliant with IEEE 802.3u for 10/100Base-TX-Applications

Auto MDIX fähig / Auto MDIX capable

Freigabe erteilt / general release:

Kunde / customer

Datum / date

Unterschrift / signature

Würth Elektronik

Geprüft / checked

Kontrolliert / approved

Name	Änderung / modification	Datum / date
Jliu	Rev 07	2014-12-17
Mle	Rev 06	2014-01-07
Mle	Rev 05	2012-07-18
Mle	Rev 04	2012-06-21
Mle	Rev 03	2011-10-21
Mle	Rev 02	2011-09-19
Mle	Rev 01	2012-07-18
KSC	Rev 00	2010-06-10

Würth Elektronik eiSos GmbH & Co.KG

D-74638 Waldenburg · Max-Eyth-Straße 1 - 3 · Germany · Telefon (+49) (0) 7942 - 945 - 0 · Telefax (+49) (0) 7942 - 945 - 400

http://www.we-online.com

chanhvinh.com

Spezifikation für Freigabe / specification for release

Kunde / customer :

Artikelnummer / part number : **7498010210A**

Bezeichnung : **LAN-Übertrager WE-RJ45LAN 10/100BaseT**


description : **LAN-Transformer WE-RJ45LAN 10/100BaseT**

compliant RoHS WÜRTH ELEKTRONIK

WÜRTH ELEKTRONIK

DATUM / DATE : 2014-12-17

H Schaltbild / Schematics :



Freigabe erteilt / general release:	**Kunde / customer**
Datum / date	Unterschrift / signature
	Würth Elektronik
Geprüft / checked	Kontrolliert / approved

Name	**Änderung / modification**	Datum / date
Jliu	Rev 07	2014-12-17
Mle	Rev 06	2014-01-07
Mle	Rev 05	2012-07-18
Mle	Rev 04	2012-06-21
Mle	Rev 03	2011-10-21
Mle	Rev 02	2011-09-19
Mle	Rev 01	2012-07-18
KSC	Rev 00	2010-06-10

Würth Elektronik eiSos GmbH & Co.KG

D-74638 Waldenburg · Max-Eyth-Straße 1 - 3 · Germany · Telefon (+49) (0) 7942 - 945 - 0 · Telefax (+49) (0) 7942 - 945 - 400

http://www.we-online.com

chanhvinh.com

Spezifikation für Freigabe / specification for release

Kunde / customer :
Artikelnummer / part number : **7498010210A**


Bezeichnung : **LAN-Übertrager WE-RJ45LAN 10/100BaseT**
description : **LAN-Transformer WE-RJ45LAN 10/100BaseT**

compliant RoHS WÜRTH ELEKTRONIK


WÜRTH ELEKTRONIK


DATUM / DATE : 2014-12-17

I Verpackungsspezifikation / package specification :



(13″ Reel)





reel= 75pcs
carton= 375pcs

dimensions in mm

Freigabe erteilt / general release:	**Kunde / customer**
.....	.....
Datum / date	Unterschrift / signature
	Würth Elektronik
.....	.....
Geprüft / checked	Kontrolliert / approved

Jliu	Rev 07	2014-12-17
Mle	Rev 06	2014-01-07
Mle	Rev 05	2012-07-18
Mle	Rev 04	2012-06-21
Mle	Rev 03	2011-10-21
Mle	Rev 02	2011-09-19
Mle	Rev 01	2012-07-18
KSC	Rev 00	2010-06-10
Name	**Änderung / modification**	Datum / date

This electronic component has been designed and developed for usage in general electronic equipment. Before incorporating this component into any equipment where higher safety and reliability is especially required or if there is the possibility of direct damage or injury to human body, for example in the range of aerospace, aviation, nudear control, submarine, transportation, (automotive control, train control, ship control), transportation signal, disaster prevention, medical, public information network etc, Würth Elektronik eiSos GmbH must be informed before the design-in stage. In addition, sufficient reliability evaluation checks for safety must be performed on every electronic component which is used in electrical circuits that require high safety and reliability functions or performance.

Würth Elektronik eiSos GmbH & Co.KG
D-74638 Waldenburg · Max-Eyth-Straße 1 - 3 · Germany · Telefon (+49) (0) 7942 - 945 - 0 · Telefax (+49) (0) 7942 - 945 - 400
http://www.we-online.com